Subject Index

Accuracy Assessments
Inter-laboratory comparison of air particulate monitoring data, 386
Statistical considerations in the interpretation of size-resolved particulate mass data, 454

Acid Deposition
Sources of SO_2, SO_4^{2-}, No_x, and NO_3^- in the air of four Spanish remote stations, 838

Acid Precipitation
Sulfur dioxide emissions and market effects under the Clean Air Act Acid Rain Program, 829

Adsorption
Factors affecting mercury control in utility flue gas using activated carbon, 1166

Aerometric Information Retrieval System (AIRS)
An exploratory look at hydrocarbon data from the photochemical assessment monitoring stations network, 71

Aerosols
Inorganic aerosols and their role in catalyzing sulfuric acid production in furnaces, 106
Control of toxic metal emissions from combustors using sorbents: A review, 113
Source-receptor modeling using trace metals in aerosols collected at three rural Canadian Great Lakes sampling stations, 227
Studies of environmental tobacco smoke generated by different cigarettes, 336
Statistical considerations in the interpretation of size-resolved particulate mass data, 454
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763
Nicotine as a marker for environmental tobacco smoke: Implication of sorption on indoor surface materials, 959
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969
The major species of heavy metal aerosol resulted from water cooling system and spray dryer system during incineration process, 1069

Air Pollution
Urban emissions measured with aircraft, 16
Influence of water content on degradation rates for ethanol in biofiltration, 65
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128
Aqueous photochemistry of mercury with organic acids, 144
Real-world vehicle emissions: A summary of the seventh coordinating research council on-road vehicle emissions workshop, 174
Effect of media nitrogen concentration on biofilter performance, 216
Source-receptor modeling using trace metals in aerosols collected at three rural Canadian great lakes sampling stations, 227
The economic feasibility of using hydrogen peroxide for the enhanced oxidation and removal of nitrogen oxides from coal-fired power plant flue gases, 238
Bioconversion of dimethylformamide in biofilters, 306
Identification and control of NO_x emissions using neural networks, 408
Application of a three-layer photochemical box model in an Athens Street Canyon, 427
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763
Simultaneous sulfur dioxide and nitrogen dioxide removal by calcium hydroxide and calcium silicate solids, 819
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786
Sources of SO_2, SO_4^{2-}, No_x, and NO_3^- in the air of four Spanish remote stations, 838
Determination and parameterization of some air pollutants as a function of meteorological parameters in Kayseri, Turkey, 853
Characterization of emissions of volatile organic compounds from interior alkyd paint, 931
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969
The major species of heavy metal aerosol resulted from water cooling system and spray dryer system during incineration process, 1069
CAREAIR: A computer aided modeling toolbox to generate and analyze emission data in high temporal and spatial resolution, 1175
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs, 1183
Low concentration mercury sorption mechanisms and control by calcium-based sorbents: Application in coal-fired processes, 1191
A comparison of filter types in the collection and gravimetric determination of airborne particulate matter less than 2.5 microns ($PM_{2.5}$), 1199

Air Pollution Standards
Quantifying NO_x for industrial combustion processes, 52
Medical waste treatment and disposal methods used by hospitals in Oregon, Washington, and Idaho, 516

Air Quality
Targeting lead in the multimedia environment in the continental United States, 3
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418
Application of a three-layer photochemical box model in an Athens Street Canyon, 427
Daily variability of motor vehicle emissions derived from traffic counter data, 637
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763
Impacts of lowered urban air temperatures on precursor emission and ozone air quality, 860

Air Quality Standards
Rural ozone across the eastern United States: Analysis of CASTNet data, 1998–1995, 674

Subject Index

Accuracy Assessments
Inter-laboratory comparison of air particulate monitoring data, 386
Statistical considerations in the interpretation of size-resolved particulate mass data, 454

Acid Deposition
Sources of SO_2, SO_4^{2-}, No_x, and NO_3^- in the air of four Spanish remote stations, 838

Acid Precipitation
Sulfur dioxide emissions and market effects under the Clean Air Act Acid Rain Program, 829

Adsorption
Factors affecting mercury control in utility flue gas using activated carbon, 1166

Aerometric Information Retrieval System (AIRS)
An exploratory look at hydrocarbon data from the photochemical assessment monitoring stations network, 71

Aerosols
Inorganic aerosols and their role in catalyzing sulfuric acid production in furnaces, 106
Control of toxic metal emissions from combustors using sorbents: A review, 113
Source-receptor modeling using trace metals in aerosols collected at three rural Canadian Great Lakes sampling stations, 227
Studies of environmental tobacco smoke generated by different cigarettes, 336
Statistical considerations in the interpretation of size-resolved particulate mass data, 454
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763
Nicotine as a marker for environmental tobacco smoke: Implication of sorption on indoor surface materials, 959
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969
The major species of heavy metal aerosol resulted from water cooling system and spray dryer system during incineration process, 1069

Air Pollution
Urban emissions measured with aircraft, 16
Influence of water content on degradation rates for ethanol in biofiltration, 65
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128
Aqueous photochemistry of mercury with organic acids, 144
Real-world vehicle emissions: A summary of the seventh coordinating research council on-road vehicle emissions workshop, 174
Effect of media nitrogen concentration on biofilter performance, 216
Source-receptor modeling using trace metals in aerosols collected at three rural Canadian great lakes sampling stations, 227
The economic feasibility of using hydrogen peroxide for the enhanced oxidation and removal of nitrogen oxides from coal-fired power plant flue gases, 238
Bioconversion of dimethylformamide in biofilters, 306
Identification and control of NO_x emissions using neural networks, 408
Application of a three-layer photochemical box model in an Athens Street Canyon, 427
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763
Simultaneous sulfur dioxide and nitrogen dioxide removal by calcium hydroxide and calcium silicate solids, 819
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786
Sources of SO_2, SO_4^{2-}, No_x, and NO_3^- in the air of four Spanish remote stations, 838
Determination and parameterization of some air pollutants as a function of meteorological parameters in Kayseri, Turkey, 853
Characterization of emissions of volatile organic compounds from interior alkyd paint, 931
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969
The major species of heavy metal aerosol resulted from water cooling system and spray dryer system during incineration process, 1069
CAREAIR: A computer aided modeling toolbox to generate and analyze emission data in high temporal and spatial resolution, 1175
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs, 1183
Low concentration mercury sorption mechanisms and control by calcium-based sorbents: Application in coal-fired processes, 1191
A comparison of filter types in the collection and gravimetric determination of airborne particulate matter less than 2.5 microns ($PM_{2.5}$), 1199

Air Pollution Standards
Quantifying NO_x for industrial combustion processes, 52
Medical waste treatment and disposal methods used by hospitals in Oregon, Washington, and Idaho, 516

Air Quality
Targeting lead in the multimedia environment in the continental United States, 3
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418
Application of a three-layer photochemical box model in an Athens Street Canyon, 427
Daily variability of motor vehicle emissions derived from traffic counter data, 637
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763
Impacts of lowered urban air temperatures on precursor emission and ozone air quality, 860

Air Quality Standards
Rural ozone across the eastern United States: Analysis of CASTNet data, 1998–1995, 674

A discussion of regulatory requirements and air dispersion modeling approaches applicable to U.S. chemical demilitarization facilities, 798
Eight-hour ozone trends at sites in Lake Michigan ozone non-attainment areas, 1204
CAREAIR: A computer aided modeling toolbox to generate and analyze emission data in high temporal and spatial resolution, 1175

Air Quality Studies
Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability, 201
Application of a three-layer photochemical box model in an Athens street canyon, 427
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786

Air Quality Trends Report
Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability, 201
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763
Eight-hour ozone trends at sites in Lake Michigan ozone non-attainment areas, 1204

Air Toxics
Targeting lead in the multimedia environment in the continental United States, 3
Real-time ultrasensitive monitoring of air toxics by laser photoionization time-of-flight mass spectrometry, 77
Control of toxic metal emissions from combustors using sorbents:A review, 113
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128
Aqueous photochemistry of mercury with organic acids, 144
Source-receptor modeling using trace metals in aerosols collected at three rural Canadian Great Lakes sampling stations, 227
Kinetics of vapor-phase mercury uptake by virgin and sulfur-impregnated activated carbons, 247
Measurement of dioxin and furan emission factors from heavy-duty diesel vehicles, 276
Bioconversion of dimethylformamide in biofilters, 306
Evaluation of trickle bed air biofilter performance as a function of inlet VOC concentration and loading, and biomass control, 627
Nicotine as a marker for environmental tobacco smoke: Implication of sorption on indoor surface materials, 959
National annual dioxin emissions estimate for hazardous waste incinerators, 1107
Arizona hazardous air pollutants monitoring program, 1038
Evaluation of a portable fourier transform infrared gas analyzer for measurements of air toxics in pollution prevention research, 1077
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]-pyrene - A critical evaluation, 1085
Factors affecting mercury control in utility flue gas using activated carbon, 1166
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs, 1183
Low concentration mercury sorption mechanisms and control by calcium-based sorbents: Application in coal-fired processes, 1191

Aircraft Measurements
Urban emissions measured with aircraft, 16

Alternative/Innovative Technologies
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59
Evaluation of needle gun and abrasive blasting technologies in bridge paintremoval practices, 264
Alternative fuel motor vehicle tailpipe and evaporative emissions composition and ozone potential, 578
VOC recovery through microwave regeneration of adsorbents: Process design studies, 1135
VOC recovery through microwave regeneration of adsorbents: Comparative economic feasibility studies, 1146
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs, 1183

Ambient Air
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128
Rural ozone across the eastern United States: Analysis of CASTNet data, 1998–1995, 674
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721
Arizona hazardous air pollutants monitoring program, 1038
A comparison of filter types in the collection and gravimetric determination of airborne particulate matter less than 2.5 microns ($PM_{2.5}$), 1199

Ambient Air Quality Standards
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418
Statistical considerations in the interpretation of size-resolved particulate mass data, 454
Rural ozone across the eastern United States: Analysis of CASTNet data, 1998–1995, 674
Eight-hour ozone trends at sites in Lake Michigan ozone non-attainment areas, 1204

Ambient Concentrations
An exploratory look at hydrocarbon data from the photochemical assessment monitoring stations network, 71
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128
Rural ozone across the eastern United States: Analysis of CASTNet data, 1998–1995, 674
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786
Arizona hazardous air pollutants monitoring program, 1038

Ammonia Slip
SCR performance on a hydrogen reformer furnace, 26

Analytical Methods
Real-time ultrasensitive monitoring of air toxics by laser photoionization time-of-flight mass spectrometry, 77
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128
Statistical considerations in the interpretation of size-resolved particulate mass data, 454
Evaluation of a portable fourier transform infrared gas analyzer for measurements of air toxics in pollution prevention research, 1077
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]pyrene - A critical evaluation, 1085

Applications
An analysis of household solid waste in Kuwait: Magnitude, type, and forecasting models, 256

Area Sources
Sources of SO_2, SO_4^{2-}, No_x, and NO_3^- in the air of four Spanish remote stations, 838

Ash, Fly
Fluidized-bed-combustion ash for the solidification and stabilization of a metal-hydroxide sludge, 35

Metals as catalysts during the formation and decomposition of chlorinated dioxins and furans in incineration processes, 101
Inorganic aerosols and their role in catalyzing sulfuric acid production in furnaces, 106
The major species of heavy metal aerosol resulted from water cooling system and spray dryer system during incineration process, 1069
Stabilization of a chromium-containing solid waste: immobilization of hexavalent chromium, 1093
Sewage sludge treatment by vitrification, 1112

Asthma
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418

Atmospheric Chemistry
Urban emissions measured with aircraft, 16
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128
Aqueous photochemistry of mercury with organic acids, 144
Source-receptor modeling using trace metals in aerosols collected at three rural Canadian Great Lakes sampling stations, 227
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969
A comparison of filter types in the collection and gravimetric determination of airborne particulate matter less than 2.5 microns ($PM_{2.5}$), 1199

Automotive Exhaust
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59
Real-world vehicle emissions: A summary of the seventh coordinating research council on-road vehicle emissions workshop, 174
Revision of light-duty vehicle emission inventories using real-world measurements–auto/oil program, phase II, 291
Alternative fuel motor vehicle tailpipe and evaporative emissions composition and ozone potential, 578
Effects of fuel type, driving cycle, and emission status on in-use vehicle exhaust reactivity, 592

Batch Biofiltration
Evaluation of trickle bed air biofilter performance as a function of inlet VOC concentration and loading, and biomass control, 627
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs, 1183

Barrier Technologies
Evaluation of geomembrane seaming methods using the comprehensive test system for geomembranes, 317

Biofilter
Treatment of 1, 3-butadiene in an air stream by a biotrickling filter and a biofilter, 711

Biofiltration
Effect of media nitrogen concentration on biofilter performance, 216
Bioconversion of dimethylformamide in biofilters, 306
Feasibility testing of biofiltration technology for remediating air contaminated by a boat manufacturing facility, 527

Bioremediation
In-situ reduction of hexavalent chromium in alkaline soils enriched with chromite ore processing residue, 1100

Bioscrubbers
Performance of a suspended-growth bioscrubber for the control of methanol, 872

Biotrickling Filter
Treatment of 1, 3-butadiene in an air stream by a biotrickling filter and a biofilter, 711

Brownfields
The relationship between historic industrial site use and environmental contamination, 809

Cabinets
Indoor emissions from conversion varnishes, 924

Calibration
An analysis of household solid waste in Kuwait: Magnitude, type, and forecasting models, 256
Inter-laboratory comparison of air particulate monitoring data, 386

Calculation Methods
Nitric oxide formation in an iron oxide pellet rotary kiln furnace, 44
Quantifying NO_x for industrial combustion processes, 52
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459
Synthesis of hybrid gas permeation membrane/condensation systems for pollution prevention, 616
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969

Carbon Filters
Cost analysis of activated carbon versus photocatalytic oxidation for removing organic compounds from indoor air, 985

Carbon Injection
Modeling powdered activated carbon injection for the uptake of elemental mercury vapors, 1051

Carbon Monoxide
Urban emissions measured with aircraft, 16
SCR performance on a hydrogen reformer furnace, 26
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459
Real-world emissions from conventional passenger cars, 502
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689
Reducing the risk of accidental death due to vehicle- related carbon monoxide poisoning, 899

Carbonaceous Material
Fine particulate organic material in the Los Angeles basin - I: Assessment of the high-volume Brigham Young University organic sampling system, BIG BOSS, 1024

Carbonyl Compounds
Investigation of the photocatalytic oxidation of low-level carbonyl compounds, 979

Carcinogens
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]pyrene - A critical evaluation, 1085

Catalytic Conversion
Metals as catalysts during the formation and decomposition of chlorinated dioxins and furans in incineration processes, 101
Inorganic aerosols and their role in catalyzing sulfuric acid production in furnaces, 106
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459

Characterization
An analysis of household solid waste in Kuwait: Magnitude, type, and forecasting models, 256
Studies of environmental tobacco smoke generated by different cigarettes, 336

The Boston residential nitrogen dioxide characterization study: Classification and prediction of indoor NO_2 exposure, 736
Characterization of emissions of volatile organic compounds from interior alkyd paint, 931

Chemical Volatilization
Volatilization of chemicals from drinking water to indoor air: The role of residential washing machines, 907

Chemical Stripping Efficiency
Volatilization of chemicals from drinking water to indoor air: The role of residential washing machines, 907

Children
Evaluation of indoor ozone concentration and predictors of indoor-outdoor ratio in Mexico City, 327

Chromium
In-situ reduction of hexavalent chromium in alkaline soils enriched with chromite ore processing residue, 1100

Clean Air Act Amendments
Feasibility testing of biofiltration technology for remediating air contaminated by a boat manufacturing facility, 527
Rural ozone across the eastern United States: Analysis of CASTNet data, 1998–1995, 674
Sulfur dioxide emissions and market effects under the Clean Air Act Acid Rain Program, 829
State-level air emissions trading: The Michigan and Illinois models, 1156

Cleanup Standards
The relationship between historic industrial site use and environmental contamination, 809

Coal-Burning Facilities
Fluidized-bed-combustion ash for the solidification and stabilization of a metal-hydroxide sludge, 35
The economic feasibility of using hydrogen peroxide for the enhanced oxidation and removal of nitrogen oxides from coal-fired power plant flue gases, 238
Identification and control of NO_x emissions using neural networks, 408
Factors affecting mercury control in utility flue gas using activated carbon, 1166
Low concentration mercury sorption mechanisms and control by calcium-based sorbents: Application in coal-fired processes, 1191

Coal-Fired Power Plants
Modeling powdered activated carbon injection for the uptake of elemental mercury vapors, 1051

Combustion
SCR performance on a hydrogen reformer furnace, 26
Quantifying NO_x for industrial combustion processes, 52
Control of toxic metal emissions from combustors using sorbents:A review, 113
Kinetics of vapor-phase mercury uptake by virgin and sulfur-impregnated activated carbons, 247
Studies of environmental tobacco smoke generated by different cigarettes, 336
A computational fluid dynamics evaluation of good combustion performance in waste incinerators, 345
Evaluation of tire-derived fuel for use in NO reductions by reburning, 729
A discussion of regulatory requirements and air dispersion modeling approaches applicable to U.S. chemical demilitarization facilities, 798
The major species of heavy metal aerosol resulting from water cooling systems and spray dryer systems during incineration processes, 1069
National annual dioxin emissions estimate for hazardous waste incinerators, 1107
Low concentration mercury sorption mechanisms and control by calcium-based sorbents: Application in coal-fired processes, 1191

Combustion Cycle
The emission of polycyclic aromatic hydrocarbons from municipal solid waste incinerators during the combustion cycle, 441

Compound Interactions
Nicotine as a marker for environmental tobacco smoke: Implication of sorption on indoor surface materials, 959

Control Strategies
Nitric oxide formation in an iron oxide pellet rotary kiln furnace, 44
Control of toxic metal emissions from combustors using sorbents:A review, 113

Control Technologies
Influence of water content on degradation rates for ethanol in biofiltration, 65
Control of toxic metal emissions from combustors using sorbents: A review, 113
The economic feasibility of using hydrogen peroxide for the enhanced oxidation and removal of nitrogen oxides from coal-fired power plant flue gases, 238
Kinetics of vapor-phase mercury uptake by virgin and sulfur-impregnated activated carbons, 247
Bioconversion of dimethylformamide in biofilters, 306
Evaluation of geomembrane seaming methods using the comprehensive test system for geomembranes, 317
Review of separation technologies for treating pesticide-contaminated soil, 434
Medical waste treatment and disposal methods used by hospitals in Oregon, Washington, and Idaho, 516
Feasibility testing of biofiltration technology for remediating air contaminated by a boat manufacturing facility, 527
Evaluation of tire-derived fuel for use in NO reductions by reburning, 729
Simultaneous sulfur dioxide and nitrogen dioxide removal by calcium hydroxide and calcium silicate solids, 819
Performance of a suspended-growth bioscrubber for the control of methanol, 872
Cost analysis of activated carbon versus photocatalytic oxidation for removing organic compounds from indoor air, 985
The major species of heavy metal aerosol resulted from water cooling system and spray dryer system during incineration process, 1069
VOC recovery through microwave regeneration of adsorbents: Process design studies, 1135
VOC recovery through microwave regeneration of adsorbents: Comparative economic feasibility studies, 1146
Factors affecting mercury control in utility flue gas using activated carbon, 1166
Low concentration mercury sorption mechanisms and control by calcium-based sorbents: Application in coal-fired processes, 1191

Conversion Varnish
Indoor emissions from conversion varnishes, 924

Cool Communities
Impacts of lowered urban air temperatures on precursor emission and ozone air quality, 860

Costs
The economic feasibility of using hydrogen peroxide for the enhanced oxidation and removal of nitrogen oxides from coal-fired power plant flue gases, 238
Evaluation of needle gun and abrasive blasting technologies in bridge paint removal practices, 264
Managing the uncertainties of low-level radioactive waste disposal, 701
Cost analysis of activated carbon versus photocatalytic oxidation for removing organic compounds from indoor air, 985

VOC recovery through microwave regeneration of adsorbents: Process design studies, 1135
VOC recovery through microwave regeneration of adsorbents: Comparative economic feasibility studies, 1146

Databases
Targeting lead in the multimedia environment in the continental United States, 3
An exploratory look at hydrocarbon data from the photochemical assessment monitoring stations network, 71
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459

Data Collection
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763

Data Quality
Targeting lead in the multimedia environment in the continental United States, 3
An exploratory look at hydrocarbon data from the photochemical assessment monitoring stations network, 71
Inter-laboratory comparison of air particulate monitoring data, 386
Statistical considerations in the interpretation of size-resolved particulate mass data, 454
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]pyrene - A critical evaluation, 1085

Decision Making
Synthesis of hybrid gas permeation membrane/condensation systems for pollution prevention, 616
The relationship between historic industrial site use and environmental contamination, 809

Deposition Velocity
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721

Destruction and Removal Efficiencies
SCR performance on a hydrogen reformer furnace, 26
Review of separation technologies for treating pesticide-contaminated soil, 434

Diffusing Denuder Sampler
Fine particulate organic material in the Los Angeles basin - I: Assessment of the high-volume Brigham Young University organic sampling system, BIG BOSS, 1024

Dimethylformamide
Bioconversion of dimethylformamide in biofilters, 306

Dioxin Formation
Metals as catalysts during the formation and decomposition of chlorinated dioxins and furans in incineration processes, 101
Measurement of dioxin and furan emission factors from heavy-duty diesel vehicles, 276
National annual dioxin emissions estimate for hazardous waste incinerators, 1107

Dioxin-Contaminated Material
Metals as catalysts during the formation and decomposition of chlorinated dioxins and furans in incineration processes, 101

Dispersion
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721

Dispersion Models
Application of a three-layer photochemical box model in an Athens Street Canyon, 427
Use of tracer gas for direct calibration of emission-factor measurements in a traffic tunnel, 545

Diurnal Emissions
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291

DOP Waste Gas
Self-scrubbing of waste gas containing dioctyl phthalate, 359

DOP Scrubbing Agent
Self-scrubbing of waste gas containing dioctyl phthalate, 359

Drinking Water
Volatilization of chemicals from drinking water to indoor air: The role of residential washing machines, 907

Driving Cycles
Effects of fuel type, driving cycle, and emission status on in-use vehicle exhaust reactivity, 592

Dry Deposition
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721

Ducts
Indoor air quality impacts of ventilation ducts: Ozone removal and emissions of volatile organic compounds, 941

Duct Liners
Indoor air quality impacts of ventilation ducts: Ozone removal and emissions of volatile organic compounds, 941

Dust, Fugitive
Evaluation of needle gun and abrasive blasting technologies in bridge paint removal practices, 264
Particulate emission rates for unpaved shoulders along a paved road, 398

Economics
The economic feasibility of using hydrogen peroxide for the enhanced oxidation and removal of nitrogen oxides from coal-fired power plant flue gases, 238
Synthesis of hybrid gas permeation membrane/condensation systems for pollution prevention, 616
Managing the uncertainties of low-level radioactive waste disposal, 701
VOC recovery through microwave regeneration of adsorbents: Process design studies, 1135
VOC recovery through microwave regeneration of adsorbents: Comparative economic feasibility studies, 1146

Electric Utilities
Kinetics of vapor-phase mercury uptake by virgin and sulfur-impregnated activated carbons, 247
Factors affecting mercury control in utility flue gas using activated carbon, 1166

Emerging Technology Program
Alternative fuel motor vehicle tailpipe and evaporative emissions composition and ozone potential, 578

Emfac 7F
Revision of light-duty vehicle emission inventories using real-world measurements–auto/oil program, phase II, 291

EMEP Stations
Sources of SO_2, SO_4^{2-}, No_x, and NO_3^- in the air of four Spanish remote stations, 838

Emission Behavior
The emission of polycyclic aromatic hydrocarbons from municipal solid waste incinerators during the combustion cycle, 441

Emission Controls
Kinetics of vapor-phase mercury uptake by virgin and sulfur-impregnated activated carbons, 247
Bioconversion of dimethylformamide in biofilters, 306
Identification and control of NO_x emissions using neural networks, 408
Sulfur dioxide emissions and market effects under the Clean Air Act Acid Rain Program, 829

Performance of a suspended-growth bioscrubber for the control of methanol, 872
The major species of heavy metal aerosol resulted from water cooling system and spray dryer system during incineration process, 1069
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs, 1183

Emission Inventories
Urban emissions measured with aircraft, 16
Real-world vehicle emissions: A summary of the seventh coordinating research council on-road vehicle emissions workshop, 174
A fuel-based inventory for heavy-duty diesel truck emissions, 352
CAREAIR: A computer aided modeling toolbox to generate and analyze emission data in high temporal and spatial resolution, 1175

Emission Rates
Particulate emission rates for unpaved shoulders along a paved road, 398
Application of a three-layer photochemical box model in an Athens Street Canyon, 427
Daily variability of motor vehicle emissions derived from traffic counter data, 637
A discussion of regulatory requirements and air dispersion modeling approaches applicable to U.S. chemical demilitarization facilities, 798
Volatilization of chemicals from drinking water to indoor air: The role of residential washing machines, 907
Evaluation of a test method for measuring indoor air emissions from dry-process photocopiers, 915
National annual dioxin emissions estimate for hazardous waste incinerators, 1107

Emission Standards
Quantifying NO_x for industrial combustion processes, 52
Real-world emissions from conventional passenger cars, 502

Emissions
Targeting lead in the multimedia environment in the continental United States, 3
Urban emissions measured with aircraft, 16
Metals as catalysts during the formation and decomposition of chlorinated dioxins and furans in incineration processes, 101
Real-world vehicle emissions: A summary of the seventh coordinating research council on-road vehicle emissions workshop, 174
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646
Development of instrumentation for continuous on-line monitoring of non-methane organic carbon in air emissions, 743
The major species of heavy metal aerosol resulting from water cooling systems and spray dryer systems during incineration processes, 1069
CAREAIR: A computer aided modeling toolbox to generate and analyze emission data in high temporal and spatial resolution, 1175

Emissions Characterization
Urban emissions measured with aircraft, 16
Real-time ultrasensitive monitoring of air toxics by laser photoionization time-of-flight mass spectrometry, 77
Studies of environmental tobacco smoke generated by different cigarettes, 336
Particulate emission rates for unpaved shoulders along a paved road, 398
Alternative fuel motor vehicle tailpipe and evaporative emissions composition and ozone potential, 578
A discussion of regulatory requirements and air dispersion modeling approaches applicable to U.S. chemical demilitarization facilities, 798
Evaluation of a test method for measuring indoor air emissions from dry-process photocopiers, 915
Characterization of emissions of volatile organic compounds from interior alkyd paint, 931

Emissions Modeling
Indoor emissions from conversion varnishes, 924

Emissions Reduction
Influence of water content on degradation rates for ethanol in biofiltration, 65
Inorganic aerosols and their role in catalyzing sulfuric acid production in furnaces, 106
Control of toxic metal emissions from combustors using sorbents: A review, 113
Identification and control of NO_x emissions using neural networks, 408
Synthesis of hybrid gas permeation membrane/condensation systems for pollution prevention, 616
Evaluation of trickle bed air biofilter performance as a function of inlet VOC concentration and loading, and biomass control, 627
Evaluation of tire-derived fuel for use in NO reductions by reburning, 729
VOC recovery through microwave regeneration of adsorbents: Process design studies, 1135
VOC recovery through microwave regeneration of adsorbents: Comparative economic feasibility studies, 1146
State-level air emissions trading: The Michigan and Illinois models, 1156

Emissions Trading
Sulfur dioxide emissions and market effects under the Clean Air Act Acid Rain Program, 829
State-level air emissions trading: The Michigan and Illinois models, 1156

Emissions, Automotive
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59
Real-world vehicle emissions: A summary of the seventh coordinating research council on-road vehicle emissions workshop, 174
Measurement of dioxin and furan emission factors from heavy-duty diesel vehicles, 276
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291
A fuel-based inventory for heavy-duty diesel truck emissions, 352
Particulate emission rates for unpaved shoulders along a paved road, 398
Application of a three-layer photochemical box model in an Athens street canyon, 427
Real-world emissions from conventional passenger cars, 502
Use of tracer gas for direct calibration of emission-factor measurements in a traffic tunnel, 545
Effects of fuel type, driving cycle, and emission status on in-use vehicle exhaust reactivity, 592
Daily variability of motor vehicle emissions derived from traffic counter data, 637
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646
Reducing the risk of accidental death due to vehicle- related carbon monoxide poisoning, 899

Emissions, Carbon Monoxide
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459
Use of tracer gas for direct calibration of emission-factor measurements in a traffic tunnel, 545
Daily variability of motor vehicle emissions derived from traffic counter data, 637
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646
Reducing the risk of accidental death due to vehicle- related carbon monoxide poisoning, 899

Emissions Fugitive
Particulate emission rates for unpaved shoulders along a paved road, 398

Emissions, Hydrocarbon
Effects of fuel type, driving cycle, and emission status on in-use vehicle exhaust reactivity, 592
Evaluation of trickle bed air biofilter performance as a function of inlet VOC concentration and loading, and biomass control, 627
Daily variability of motor vehicle emissions derived from traffic counter data, 637
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646
Performance of a suspended-growth bioscrubber for the control of methanol, 872
Evaluation of a portable fourier transform infrared gas analyzer for measurements of air toxics in pollution prevention research, 1077

Emissions, Landfill Gas
Evaluation of geomembrane seaming methods using the comprehensive test system for geomembranes, 317

Environmental Law
Strategies for limiting engineers' potential liability for indoor air quality problems, 995

Environmental Management
An analysis of household solid waste in Kuwait: Magnitude, type, and forecasting models, 256
Managing the uncertainties of low-level radioactive waste disposal, 701
The relationship between historic industrial site use and environmental contamination, 809

Environmental Modeling
CAREAIR: A computer aided modeling toolbox to generate and analyze emission data in high temporal and spatial resolution, 1175

Environmental Protection
An analysis of household solid waste in Kuwait: Magnitude, type, and forecasting models, 256
A method for the removal of chromium from tanned leather wastes, 846

Environmental Resources
Kinetic study on methane fermentation of pre-hydrolyzed lignocellulosics, 366

Epidemiology
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418
Statistical considerations in the interpretation of size-resolved particulate mass data, 454
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689
The Boston residential nitrogen dioxide characterization study: Classification and prediction of indoor NO_2 exposure, 736

Exhaust Reactivity
Effects of fuel type, driving cycle, and emission status on in-use vehicle exhaust reactivity, 592

Exposure Parameters
Impact of residential nitrogen dioxide exposure on personal exposure: An international study, 553
The Boston residential nitrogen dioxide characterization study: Classification and prediction of indoor NO_2 exposure, 736
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969

Facility Siting
Managing the uncertainties of low-level radioactive waste disposal, 701

Fine Particles
Fine particulate organic material in the Los Angeles basin - I: Assessment of the high-volume Brigham Young University organic sampling system, BIG BOSS, 1024

Flue Gases
SCR performance on a hydrogen reformer furnace, 26
Metals as catalysts during the formation and decomposition of chlorinated dioxins and furans in incineration processes, 101
Inorganic aerosols and their role in catalyzing sulfuric acid production in furnaces, 106
The economic feasibility of using hydrogen peroxide for the enhanced oxidation and removal of nitrogen oxides from coal-fired power plant flue gases, 238
Kinetics of vapor-phase mercury uptake by virgin and sulfur-impregnated activated carbons, 247
Simultaneous sulfur dioxide and nitrogen dioxide removal by calcium hydroxide and calcium silicate solids, 819

Fly Ash Sulfation
Inorganic aerosols and their role in catalyzing sulfuric acid production in furnaces, 106

Formaldehyde
Indoor emissions from conversion varnishes, 924
Investigation of the photocatalytic oxidation of low-level carbonyl compounds, 979

Fourier Transform
Evaluation of a portable fourier transform infrared gas analyzer for measurements of air toxics in pollution prevention research, 1077

FTIR
Evaluation of a portable fourier transform infrared gas analyzer for measurements of air toxics in pollution prevention research, 1077

Fuels
A fuel-based inventory for heavy-duty diesel truck emissions, 352
Effects of fuel type, driving cycle, and emission status on in-use vehicle exhaust reactivity, 592
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646

Fuels, Alternative
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59
Kinetic study on methane fermentation of pre-hydrolyzed lignocellulosics, 366
Alternative fuel motor vehicle tailpipe and evaporative emissions composition and ozone potential, 578
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646
Evaluation of tire-derived fuel for use in NO reductions by reburning, 729

Fuels, Fossil
Identification and control of NO_x emissions using neural networks, 408

Gas Chromatography
An exploratory look at hydrocarbon data from the photochemical assessment monitoring stations network, 71
Characterization of emissions of volatile organic compounds from interior alkyd paint, 931

Gas Chromatography- Mass Spectrometry
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]pyrene - A critical evaluation, 1085

Gas, Natural
Kinetic study on methane fermentation of pre-hydrolyzed lignocellulosics, 366

Gasoline
Real-world vehicle emissions: A summary of the seventh coordinating research council on-road vehicle emissions workshop, 174

Halocarbons
Arizona hazardous air pollutants monitoring program, 1038

Hazardous Air Pollutants
Influence of water content on degradation rates for ethanol in biofiltration, 65
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128
Aqueous photochemistry of mercury with organic acids, 144
Kinetics of vapor-phase mercury uptake by virgin and sulfur-impregnated activated carbons, 247
Evaluation of needle gun and abrasive blasting technologies in bridge paint removal practices, 264
Bioconversion of dimethylformamide in biofilters, 306
Synthesis of hybrid gas permeation membrane/condensation systems for pollution prevention, 616
Evaluation of trickle bed air biofilter performance as a function of inlet VOC concentration and loading, and biomass control, 627
Performance of a suspended-growth bioscrubber for the control of methanol, 872
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969
Arizona hazardous air pollutants monitoring program, 1038
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]pyrene - A critical evaluation, 1085
National annual dioxin emissions estimate for hazardous waste incinerators, 1107
Factors affecting mercury control in utility flue gas using activated carbon, 1166
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs , 1183

Hazardous Waste
Targeting lead in the multimedia environment in the continental United States, 3
Evaluation of needle gun and abrasive blasting technologies in bridge paint removal practices, 264
Evaluation of geomembrane seaming methods using the comprehensive test system for geomembranes, 317
Stabilization of a chromium-containing solid waste: Immobilization of hexavalent chromium, 1093

Hazardous Waste Cleanup
The relationship between historic industrial site use and environmental contamination, 809
In-situ reduction of hexavalent chromium in alkaline soils enriched with chromite ore processing residue, 1100

Hazardous Waste Management
Fluidized-bed-combustion ash for the solidification and stabilization of a metal-hydroxide sludge, 35
A discussion of regulatory requirements and air dispersion modeling approaches applicable to U.S. chemical demilitarization facilities, 798

Hazardous Waste Sites
Targeting lead in the multimedia environment in the continental United States, 3
The relationship between historic industrial site use and environmental contamination, 809

Haze
Statistical considerations in the interpretation of size-resolved particulate mass data, 454
A comparison of filter types in the collection and gravimetric determination of airborne particulate matter less than 2.5 microns ($PM_{2.5}$), 1199

Health Effects/Risks
Health impact of polychlorinated dibenzo-p-dioxins: A critical review, 157
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418
Reducing the risk of accidental death due to vehicle- related carbon monoxide poisoning, 899
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969
Strategies for limiting engineers' potential liability for indoor air quality problems, 995

Heavy Metal
The relationship between the quantity of heavy metal and PAHs in fly ash, 750

Hot Soak Emissions
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291

Human Exposure
Impact of residential nitrogen dioxide exposure on personal exposure: An international study, 553
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757
Volatilization of chemicals from drinking water to indoor air: The role of residential washing machines, 907
Nicotine as a marker for environmental tobacco smoke: Implication of sorption on indoor surface materials, 959
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969
Strategies for limiting engineers' potential liability for indoor air quality problems, 995

HVAC Systems
Strategies for limiting engineers' potential liability for indoor air quality problems, 995
Indoor air quality impacts of ventilation ducts: Ozone removal and emissions of volatile organic compounds, 941

Hydrocarbons
Urban emissions measured with aircraft, 16
Studies of environmental tobacco smoke generated by different cigarettes, 336
Real-world emissions from conventional passenger cars, 502
Effects of fuel type, driving cycle, and emission status on in-use vehicle exhaust reactivity, 592
Evaluation of trickle bed air biofilter performance as a function of inlet VOC concentration and loading, and biomass control, 627
Daily variability of motor vehicle emissions derived from traffic counter data, 637
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646
Investigation of the photocatalytic oxidation of low-level carbonyl compounds, 979
Arizona hazardous air pollutants monitoring program, 1038

Hydrolysis Constant
Revised hydrolysis constants for thallium (I) and thallium (III) and the environmental implications, 151

Incineration
Fluidized-bed-combustion ash for the solidification and stabilization of a metal-hydroxide sludge, 35
Control of toxic metal emissions from combustors using sorbents: A review, 113
Kinetics of vapor-phase mercury uptake by virgin and sulfur-impregnated activated carbons, 247
A computational fluid dynamics evaluation of good combustion performance in waste incinerators, 345
The emission of polycyclic aromatic hydrocarbons from municipal solid waste incinerators during the combustion cycle, 441
The relationship between the quantity of heavy metal and PAHs in fly ash, 750

A discussion of regulatory requirements and air dispersion modeling approaches applicable to U.S. chemical demilitarization facilities, 798
The major species of heavy metal aerosol resulting from water cooling systems and spray dryer systems during incineration processes, 1069
National annual dioxin emissions estimate for hazardous waste incinerators, 1107
Sewage sludge treatment by vitrification, 1112

Individual Exposure
Evaluation of needle gun and abrasive blasting technologies in bridge paint removal practices, 264
Impact of residential nitrogen dioxide exposure on personal exposure: An international study, 553
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757

Indoor Air
Indoor emissions from conversion varnishes, 924
Indoor air quality impacts of ventilation ducts: Ozone removal and emissions of volatile organic compounds, 941

Indoor Air Cleaners
Cost analysis of activated carbon versus photocatalytic oxidation for removing organic compounds from indoor air, 985

Indoor Air Pollution
Studies of environmental tobacco smoke generated by different cigarettes, 336
Impact of residential nitrogen dioxide exposure on personal exposure: An international study, 553
The Boston residential nitrogen dioxide characterization study: Classification and prediction of indoor NO_2 exposure, 736
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757
Reducing the risk of accidental death due to vehicle- related carbon monoxide poisoning, 899
Volatilization of chemicals from drinking water to indoor air: The role of residential washing machines, 907
Evaluation of a test method for measuring indoor air emissions from dry-process photocopiers, 915
Characterization of emissions of volatile organic compounds from interior alkyd paint, 931
Evaluation of sink effects on VOCs from a latex paint, 953
Nicotine as a marker for environmental tobacco smoke: Implication of sorption on indoor surface materials, 959
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969
Investigation of the photocatalytic oxidation of low-level carbonyl compounds, 979
Cost analysis of activated carbon versus photocatalytic oxidation for removing organic compounds from indoor air, 985
Strategies for limiting engineers' potential liability for indoor air quality problems, 995

Industrial Pollution
Quantifying NO_x for industrial combustion processes, 52
Source-receptor modeling using trace metals in aerosols collected at three rural Canadian Great Lakes sampling stations, 227
Bioconversion of dimethyl-formamide in biofilters, 306
Stabilization of a chromium-containing solid waste: immobilization of hexavalent chromium, 1093
VOC recovery through microwave regeneration of adsorbents: Process design studies, 1135
VOC recovery through microwave regeneration of adsorbents: Comparative economic feasibility studies, 1146

Innovative Technologies
The economic feasibility of using hydrogen peroxide for the enhanced oxidation and removal of nitrogen oxides from coal-fired power plant flue gases, 238
Identification and control of NO_x emissions using neural networks, 408
Review of separation technologies for treating pesticide-contaminated soil, 434
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]pyrene - A critical evaluation, 1085
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs, 1183

Instrument Evaluation
Evaluation of a portable fourier transform infrared gas analyzer for measurements of air toxics in pollution prevention research, 1077

International Aspects
Impact of residential nitrogen dioxide exposure on personal exposure: An international study, 553

ION Chromatography
Inter-laboratory comparison of air particulate monitoring data, 386

Indoor-Outdoor Ratio
Evaluation of indoor ozone concentration and predictors of indoor-outdoor ratio in Mexico City, 327

Kriging
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418

Land Disposal
Evaluation of geomembrane seaming methods using the comprehensive test system for geomembranes, 317

Landfills
Fluidized-bed-combustion ash for the solidification and stabilization of a metal-hydroxide sludge, 35
An analysis of household solid waste in Kuwait: Magnitude, type, and forecasting models, 256
Evaluation of geomembrane seaming methods using the comprehensive test system for geomembranes, 317

Laser Photoionization
Real-time ultrasensitive monitoring of air toxics by laser photoionization time-of-flight mass spectrometry, 77

Latex Paints
Evaluation of sink effects on VOCs from a latex paint, 953

Leaching
Stabilization of a chromium-containing solid waste: Immobilization of hexavalent chromium, 1093

Lead
Targeting lead in the multimedia environment in the continental United States, 3

Lead Paint Removal
Evaluation of needle gun and abrasive blasting technologies in bridge paint removal practices, 264

Leather Tannery
A method for the removal of chromium from tanned leather wastes, 846

Liability
Strategies for limiting engineers' potential liability for indoor air quality problems, 995

Liner
Evaluation of geomembrane seaming methods using the comprehensive test system for geomembranes, 317

Logistic Regression
The relationship between historic industrial site use and environmental contamination, 809

Marketable Disposal Permits
Managing the uncertainties of low-level radioactive waste disposal, 701

Mass Transfer
Volatilization of chemicals from drinking water to indoor air: The role of residential washing machines, 907

Measurement Techniques
Inter-laboratory comparison of air particulate monitoring data, 386
Particulate emission rates for unpaved shoulders along a paved road, 398
Statistical considerations in the interpretation of size-resolved particulate mass data, 454
Real-world emissions from conventional passenger cars, 502
Evaluation of a portable fourier transform infrared gas analyzer for measurements of air toxics in pollution prevention research, 1077
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]pyrene - A critical evaluation, 1085
A comparison of filter types in the collection and gravimetric determination of airborne particulate matter less than 2.5 microns ($PM_{2.5}$), 1199

Medical Waste
Medical waste treatment and disposal methods used by hospitals in Oregon, Washington, and Idaho, 516

Mercury
Aqueous photochemistry of mercury with organic acids, 144
Kinetics of vapor-phase mercury uptake by virgin and sulfur-impregnated activated carbons, 247
Factors affecting mercury control in utility flue gas using activated carbon, 1166
Low concentration mercury sorption mechanisms and control by calcium-based sorbents: Application in coal-fired processes, 1191

Mercury Removal
Modeling powdered activated carbon injection for the uptake of elemental mercury vapors, 1051

Meteorological Conditions
Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability, 201
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459
Eight-hour ozone trends at sites in Lake Michigan ozone nonattainment areas, 1204

Meteorological Parameters
Determination and parameterization of some air pollutants as a function of meteorological parameters in Kayseri, Turkey, 853

Mexico
Evaluation of indoor ozone concentration and predictors of indoor-outdoor ratio in Mexico City, 327

Microwaves
VOC recovery through microwave regeneration of adsorbents: Process design studies, 1135
VOC recovery through microwave regeneration of adsorbents: Comparative economic feasibility studies, 1146

Misclassification
The Boston residential nitrogen dioxide characterization study: Classification and prediction of indoor NO_2 exposure, 736

Mobile 5
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291

Mobile Sources
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59
Real-world vehicle emissions: A summary of the seventh coordinating research council on-road vehicle emissions workshop, 174
A fuel-based inventory for heavy-duty diesel truck emissions, 352
Daily variability of motor vehicle emissions derived from traffic counter data, 637
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646

Modeling
Nitric oxide formation in an iron oxide pellet rotary kiln furnace, 44
Real-world vehicle emissions: A summary of the seventh coordinating research council on-road vehicle emissions workshop, 174
Source-receptor modeling using trace metals in aerosols collected at three rural Canadian Great Lakes sampling stations, 227
A computational fluid dynamics evaluation of good combustion performance in waste incinerators, 345
Kinetic study on methane fermentation of pre-hydrolyzed lignocellulosics, 366
The Boston residential nitrogen dioxide characterization study: Classification and prediction of indoor NO_2 exposure, 736
A discussion of regulatory requirements and air dispersion modeling approaches applicable to U.S. chemical demilitarization facilities, 798
Volatilization of chemicals from drinking water to indoor air: The role of residential washing machines, 907
Evaluation of sink effects on VOCs from a latex paint, 953
Nicotine as a marker for environmental tobacco smoke: Implication of sorption on indoor surface materials, 959
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969
Modeling powdered activated carbon injection for the uptake of elemental mercury vapors, 1051

Monitoring
Inter-laboratory comparison of air particulate monitoring data, 386
Statistical considerations in the interpretation of size-resolved particulate mass data, 454
Rural ozone across the eastern United States: Analysis of CASTNet data, 1998–1995, 674
Development of instrumentation for continuous on-line monitoring of non-methane organic carbon in air emissions, 743
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763
A comparison of filter types in the collection and gravimetric determination of airborne particulate matter less than 2.5 microns ($PM_{2.5}$), 1199

Mortality
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689

Motor Vehicles
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59
Measurement of dioxin and furan emission factors from heavy-duty diesel vehicles, 276
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291
A fuel-based inventory for heavy-duty diesel truck emissions, 352
Particulate emission rates for unpaved shoulders along a paved road, 398
Real-world emissions from conventional passenger cars, 502
Effects of fuel type, driving cycle, and emission status on in-use vehicle exhaust reactivity, 592
Daily variability of motor vehicle emissions derived from traffic counter data, 637
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646

Reducing the risk of accidental death due to vehicle- related carbon monoxide poisoning, 899

Multiple Regression Equation
Determination and parameterization of some air pollutants as a function of meteorological parameters in Kayseri, Turkey, 853

Municipal Solid Waste
An analysis of household solid waste in Kuwait: Magnitude, type, and forecasting models, 256
The emission of polycyclic aromatic hydrocarbons from municipal solid waste incinerators during the combustion cycle, 441

NAAQS
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418
Eight-hour ozone trends at sites in Lake Michigan ozone non-attainment areas, 1204
State-level air emissions trading: The Michigan and Illinois models, 1156

Neural Networks
Identification and control of NO_x emissions using neural networks, 408

Nitrogen
Effect of media nitrogen concentration on biofilter performance, 216

Nitrogen Dioxide
Impact of residential nitrogen dioxide exposure on personal exposure: An international study, 553
The Boston residential nitrogen dioxide characterization study: Classification and prediction of indoor NO_2 exposure, 736
Simultaneous sulfur dioxide and nitrogen dioxide removal by calcium hydroxide and calcium silicate solids, 819

Nitrogen Oxides
Urban emissions measured with aircraft, 16
SCR performance on a hydrogen reformer furnace, 26
Nitric oxide formation in an iron oxide pellet rotary kiln furnace, 44
Quantifying NO_x for industrial combustion processes, 52
The economic feasibility of using hydrogen peroxide for the enhanced oxidation and removal of nitrogen oxides from coal-fired power plant flue gases, 238
A fuel-based inventory for heavy-duty diesel truck emissions, 352
Identification and control of NO_x emissions using neural networks, 408
Real-world emissions from conventional passenger cars, 502
Daily variability of motor vehicle emissions derived from traffic counter data, 637
Evaluation of tire-derived fuel for use in NO reductions by reburning, 729
Simultaneous sulfur dioxide and nitrogen dioxide removal by calcium hydroxide and calcium silicate solids, 819
State-level air emissions trading: The Michigan and Illinois models, 1156

Non-Methane Hydrocarbons
Development of instrumentation for continuous on-line monitoring of non-methane organic carbon in air emissions, 743

Non-Methane Organic Gases
Effects of fuel type, driving cycle, and emission status on in-use vehicle exhaust reactivity, 592
Arizona hazardous air pollutants monitoring program, 1038

Odors
Bioconversion of dimethyl-formamide in biofilters, 306
Evaluation of sink effects on VOCs from a latex paint, 953
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs, 1183

Oxygenated Fuel
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59

Oxygen Combustion System
Quantifying NO_x for industrial combustion processes, 52

Ozone
Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability, 201
Evaluation of indoor ozone concentration and predictors of indoor-outdoor ratio in Mexico City, 327
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418
Alternative fuel motor vehicle tailpipe and evaporative emissions composition and ozone potential, 578
Rural ozone across the eastern United States: Analysis of CASTNet data, 1998–1995, 674
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786
Impacts of lowered urban air temperatures on precursor emission and ozone air quality, 860
Evaluation of a test method for measuring indoor air emissions from dry-process photocopiers, 915
Eight-hour ozone trends at sites in Lake Michigan ozone non-attainment areas, 1204
State-level air emissions trading: The Michigan and Illinois models, 1156

Ozone Formation
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786

Ozone, Boundary Layer
Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability, 201
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786

Ozone, Tropospheric
An exploratory look at hydrocarbon data from the photochemical assessment monitoring stations network, 71
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418
Rural ozone across the eastern United States: Analysis of CASTNet data, 1998–1995, 674
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786
Eight-hour ozone trends at sites in Lake Michigan ozone non-attainment areas, 1204

Ozone Passive Sampler
Evaluation of indoor ozone concentration and predictors of indoor-outdoor ratio in Mexico City, 327

Packed Scrubbing Tower
Self-scrubbing of waste gas containing dioctyl phthalate, 359

PAH
The relationship between the quantity of heavy metal and PAHs in fly ash, 750

Passive Samplers
Impact of residential nitrogen dioxide exposure on personal exposure: An international study, 553

Permitting
Managing the uncertainties of low-level radioactive waste disposal, 701

Pesticides
Review of separation technologies for treating pesticide-contaminated soil, 434
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969

Petroleum Refinery Emissions
SCR performance on a hydrogen reformer furnace, 26

Photocatalytic Oxidation
Investigation of the photocatalytic oxidation of low-level carbonyl compounds, 979
Cost analysis of activated carbon versus photocatalytic oxidation for removing organic compounds from indoor air, 985

Photochemical Assessment Monitoring Stations (PAMS)
An exploratory look at hydrocarbon data from the photochemical assessment monitoring stations network, 71

Photochemical Pollutants
Aqueous photochemistry of mercury with organic acids, 144
Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability, 201

Photocopiers
Evaluation of a test method for measuring indoor air emissions from dry-process photocopiers, 915

PIXE
Inter-laboratory comparison of air particulate monitoring data, 386

PM_{10}
Particulate emission rates for unpaved shoulders along a paved road, 398
Statistical considerations in the interpretation of size-resolved particulate mass data, 454
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757

Policy Decision Making
Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability, 201

Pollutant Concentration
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128
Impact of residential nitrogen dioxide exposure on personal exposure: An international study, 553
A comparison of filter types in the collection and gravimetric determination of airborne particulate matter less than 2.5 microns ($PM_{2.5}$), 1199

Pollutant Deposition
Indoor air quality impacts of ventilation ducts: Ozone removal and emissions of volatile organic compounds, 941

Pollutant Emissions
Indoor air quality impacts of ventilation ducts: Ozone removal and emissions of volatile organic compounds, 941

Pollution Control Equipment
SCR performance on a hydrogen reformer furnace, 26
Performance of a suspended-growth bioscrubber for the control of methanol, 872

Pollution Prevention
Synthesis of hybrid gas permeation membrane/condensation systems for pollution prevention, 616
Evaluation of a test method for measuring indoor air emissions from dry-process photocopiers, 915
Evaluation of a portable fourier transform infrared gas analyzer for measurements of air toxics in pollution prevention research, 1077
VOC recovery through microwave regeneration of adsorbents: Process design studies, 1135
VOC recovery through microwave regeneration of adsorbents: Comparative economic feasibility studies, 1146

Polychlorinated Dibenzo Furans
Metals as catalysts during the formation and decomposition of chlorinated dioxins and furans in incineration processes, 101
National annual dioxin emissions estimate for hazardous waste incinerators, 1107

Polychlorinated Dibenzo-p-dioxins
Metals as catalysts during the formation and decomposition of chlorinated dioxins and furans in incineration processes, 101
Health impact of polychlorinated dibenzo-p-dioxins: A critical review, 157
National annual dioxin emissions estimate for hazardous waste incinerators, 1107

Polycyclic Aromatic Hydrocarbons
Real-time ultrasensitive monitoring of air toxics by laser photoionization time-of-flight mass spectrometry, 77
The emission of polycyclic aromatic hydrocarbons from municipal solid waste incinerators during the combustion cycle, 441
Arizona hazardous air pollutants monitoring program, 1038
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]pyrene - A critical evaluation, 1085

Powdered Activated Carbon
Modeling powdered activated carbon injection for the uptake of elemental mercury vapors, 1051

Power Plants
Fluidized-bed-combustion ash for the solidification and stabilization of a metal-hydroxide sludge, 35
Health impact of polychlorinated dibenzo-p-dioxins: A critical review, 157
The economic feasibility of using hydrogen peroxide for the enhanced oxidation and removal of nitrogen oxides from coal-fired power plant flue gases, 238
Identification and control of NO_x emissions using neural networks, 408

Public Health
Medical waste treatment and disposal methods used by hospitals in Oregon, Washington, and Idaho, 516
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689
Strategies for limiting engineers' potential liability for indoor air quality problems, 995

Pulp Mill Exhausts
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs, 1183

Radioactive Waste
Managing the uncertainties of low-level radioactive waste disposal, 701

Real-world Emissions
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291

RECLAIM
Impacts of lowered urban air temperatures on precursor emission and ozone air quality, 860

Recycling
Fluidized-bed-combustion ash for the solidification and stabilization of a metal-hydroxide sludge, 35
A method for the removal of chromium from tanned leather wastes, 846

Reduced Sulfur Gases
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs, 1183

Reduction
In-situ reduction of hexavalent chromium in alkaline soils enriched with chromite ore processing residue, 1100

Regulations
Quantifying NO_x for industrial combustion processes, 52
Medical waste treatment and disposal methods used by hospitals in Oregon, Washington, and Idaho, 516

Remediation
The relationship between historic industrial site use and environmental contamination, 809
In-situ reduction of hexavalent chromium in alkaline soils enriched with chromite ore processing residue, 1100

Remote Sensing
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59
Real-world vehicle emissions: A summary of the seventh coordinating research council on-road vehicle emissions workshop, 174
Real-world emissions from conventional passenger cars, 502

Respiratory Health
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418

Research and Development
Identification and control of NO_x emissions using neural networks, 408
Factors affecting mercury control in utility flue gas using activated carbon, 1166

Resource Conservation and Recovery Act (RCRA)
Fluidized-bed-combustion ash for the solidification and stabilization of a metal-hydroxide sludge, 35
National annual dioxin emissions estimate for hazardous waste incinerators, 1107

Residences
The Boston residential nitrogen dioxide characterization study: Classification and prediction of indoor NO_2 exposure, 736
Nicotine as a marker for environmental tobacco smoke: Implication of sorption on indoor surface materials, 959

Respiratory Health
A comparison of filter types in the collection and gravimetric determination of airborne particulate matter less than 2.5 microns ($PM_{2.5}$), 1199

Roadways
Particulate emission rates for unpaved shoulders along a paved road, 398

Rotary Kiln
Nitric oxide formation in an iron oxide pellet rotary kiln furnace, 44

Rural Sites
Rural ozone across the eastern United States: Analysis of CASTNet data, 1998–1995, 674
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763
Arizona hazardous air pollutants monitoring program, 1038

Sampling
Real-time ultrasensitive monitoring of air toxics by laser photoionization time-of-flight mass spectrometry, 77
Source-receptor modeling using trace metals in aerosols collected at three rural Canadian Great Lakes sampling stations, 227
Evaluation of an automatic composite sampler for volatile organic compounds in raw wastewater, 271
Studies of environmental tobacco smoke generated by different cigarettes, 336
Inter-laboratory comparison of air particulate monitoring data, 386
A comparison of filter types in the collection and gravimetric determination of airborne particulate matter less than 2.5 microns ($PM_{2.5}$), 1199

Sampling Artifacts
Fine particulate organic material in the Los Angeles basin - I: Assessment of the high-volume Brigham Young University organic sampling system, BIG BOSS, 1024

Scrubbers
Sulfur dioxide emissions and market effects under the Clean Air Act Acid Rain Program, 829
Performance of a suspended-growth bioscrubber for the control of methanol, 872

Seaming
Evaluation of geomembrane seaming methods using the comprehensive test system for geomembranes, 317

Seasonal Effects
Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability, 201
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459

Secondary Standard
Rural ozone across the eastern United States: Analysis of CASTNet data, 1998–1995, 674

Selective Catalytic Reduction (SCR)
SCR performance on a hydrogen reformer furnace, 26

Semi-Volatile Organic Compounds
Fine particulate organic material in the Los Angeles basin - I: Assessment of the high-volume Brigham Young University organic sampling system, BIG BOSS, 1024

Simulation Model
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969

Sink Effects
Evaluation of sink effects on VOCs from a latex paint, 953

Smog
Impacts of lowered urban air temperatures on precursor emission and ozone air quality, 860

Smoke
Determination and parameterization of some air pollutants as a function of meteorological parameters in Kayseri, Turkey, 853

Software Products
Identification and control of NO_x emissions using neural networks, 408

Soil
In-situ reduction of hexavalent chromium in alkaline soils enriched with chromite ore processing residue, 1100

Solid Waste
Targeting lead in the multimedia environment in the continental United States, 3
Evaluation of geomembrane seaming methods using the comprehensive test system for geomembranes, 317
A computational fluid dynamics evaluation of good combustion performance in waste incinerators, 345
A method for the removal of chromium from tanned leather wastes, 846
Stabilization of a chromium-containing solid waste: Immobilization of hexavalent chromium, 1093

Soot
A comparison of filter types in the collection and gravimetric determination of airborne particulate matter less than 2.5 microns ($PM_{2.5}$), 1199

Sorbent Injection
Control of toxic metal emissions from combustors using sorbents: A review, 113
Factors affecting mercury control in utility flue gas using activated carbon, 1166
Low concentration mercury sorption mechanisms and control by calcium-based sorbents: Application in coal-fired processes, 1191

Source Characterization
Indoor emissions from conversion varnishes, 924

Space Spray
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969

Spain
Sources of SO_2, SO_4^{2-}, No_x, and NO_3^- in the air of four Spanish remote stations, 838

Speciation
Revised hydrolysis constants for thallium (I) and thallium (III) and the environmental implications, 151

Specific Reactivity
Effects of fuel type, driving cycle, and emission status on in-use vehicle exhaust reactivity, 592

Stabilization/Solidification
Fluidized-bed-combustion ash for the solidification and stabilization of a metal-hydroxide sludge, 35
Stabilization of a chromium-containing solid waste: immobilization of hexavalent chromium, 1093

State Implementation Plans (SIPs)
Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability, 201
State-level air emissions trading: The Michigan and Illinois models, 1156

Stationary Sources
Targeting lead in the multimedia environment in the continental United States, 3
The economic feasibility of using hydrogen peroxide for the enhanced oxidation and removal of nitrogen oxides from coal-fired power plant flue gases, 238

Steam-Methane Reforming (SMR)
SCR performance on a hydrogen reformer furnace, 26

Sulfur Dioxide
Inorganic aerosols and their role in catalyzing sulfuric acid production in furnaces, 106
Control of toxic metal emissions from combustors using sorbents:A review, 113
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786
Simultaneous sulfur dioxide and nitrogen dioxide removal by calcium hydroxide and calcium silicate solids, 819
Sulfur dioxide emissions and market effects under the Clean Air Act Acid Rain Program, 829
Determination and parameterization of some air pollutants as a function of meteorological parameters in Kayseri, Turkey, 853

Sulfuric Acid Formation
Inorganic aerosols and their role in catalyzing sulfuric acid production in furnaces, 106
Control of toxic metal emissions from combustors using sorbents:A review, 113

Superfund
Targeting lead in the multimedia environment in the continental United States, 3

Surface Water
Targeting lead in the multimedia environment in the continental United States, 3

Sustainable Development
Control of toxic metal emissions from combustors using sorbents: A review, 113

Technology Development
Evaluation of needle gun and abrasive blasting technologies in bridge paint removal practices, 264
Synthesis of hybrid gas permeation membrane/condensation systems for pollution prevention, 616
Evaluation of tire-derived fuel for use in NO reductions by reburning, 729

Temperature
Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability, 201
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646

Test Method
Evaluation of a test method for measuring indoor air emissions from dry-process photocopiers, 915

Testing
Evaluation of geomembrane seaming methods using the comprehensive test system for geomembranes, 317
Studies of environmental tobacco smoke generated by different cigarettes, 336

Thallium
Revised hydrolysis constants for thallium (I) and thallium (III) and the environmental implications, 151

Thermal Treatment
The major species of heavy metal aerosol resulting from water cooling systems and spray dryer systems during incineration processes, 1069

Time-of-Flight Mass Spectrometry
Real-time ultrasensitive monitoring of air toxics by laser photoionization time-of-flight mass spectrometry, 77

Toxic Air Monitoring System (TAMS)
Real-time ultrasensitive monitoring of air toxics by laser photoionization time-of-flight mass spectrometry, 77

Toxic Air Pollutants
Real-time ultrasensitive monitoring of air toxics by laser photoionization time-of-flight mass spectrometry, 77
Metals as catalysts during the formation and decomposition of chlorinated dioxins and furans in incineration processes, 101
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128
Aqueous photochemistry of mercury with organic acids, 144
Evaluation of trickle bed air biofilter performance as a function of inlet VOC concentration and loading, and biomass control, 627
A discussion of regulatory requirements and air dispersion modeling approaches applicable to U.S. chemical demilitarization facilities, 798
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969
Evaluation of a portable fourier transform infrared gas analyzer for measurements of air toxics in pollution prevention research, 1077

Toxic Gases
Bioconversion of dimethylformamide in biofilters, 306
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs, 1183
Low concentration mercury sorption mechanisms and control by calcium-based sorbents: Application in coal-fired processes, 1191

Toxic Metals
Targeting lead in the multimedia environment in the continental United States, 3
Fluidized-bed-combustion ash for the solidification and stabilization of a metal-hydroxide sludge, 35
Control of toxic metal emissions from combustors using sorbents:A review, 113
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128
Aqueous photochemistry of mercury with organic acids, 144
Source-receptor modeling using trace metals in aerosols collected at three rural Canadian Great Lakes sampling stations, 227
A method for the removal of chromium from tanned leather wastes, 846
The major species of heavy metal aerosol resulted from water cooling system and spray dryer system during incineration process, 1069
Stabilization of a chromium-containing solid waste: Immobilization of hexavalent chromium, 1093
Low concentration mercury sorption mechanisms and control by calcium-based sorbents: Application in coal-fired processes, 1191

Toxic Wastes
A method for the removal of chromium from tanned leather wastes, 846

Toxicology
Health impact of polychlorinated dibenzo-p-dioxins: A critical review, 157

Toxic Release Inventory (TRI)
Targeting lead in the multimedia environment in the continental United States, 3

Toxics
Alternative fuel motor vehicle tailpipe and evaporative emissions composition and ozone potential, 578

Toxic Wastes
Evaluation of needle gun and abrasive blasting technologies in bridge paint removal practices, 264

Tracer Techniques
Use of tracer gas for direct calibration of emission-factor measurements in a traffic tunnel, 545
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721

Tracers
Nicotine as a marker for environmental tobacco smoke: Implication of sorption on indoor surface materials, 959

Traffic
Particulate emission rates for unpaved shoulders along a paved road, 398
Use of tracer gas for direct calibration of emission-factor measurements in a traffic tunnel, 545
Daily variability of motor vehicle emissions derived from traffic counter data, 637

Treatment Technologies
Influence of water content on degradation rates for ethanol in biofiltration, 65
Stabilization of a chromium-containing solid waste: immobilization of hexavalent chromium, 1093
Sewage sludge treatment by vitrification, 1112

Treatment, Storage and Disposal
A discussion of regulatory requirements and air dispersion modeling approaches applicable to U.S. chemical demilitarization facilities, 798
Sewage sludge treatment by vitrification, 1112

Trend Analysis
Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability, 201
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459
Eight-hour ozone trends at sites in Lake Michigan ozone nonattainment areas, 1204

Urban Airshed Model
Impacts of lowered urban air temperatures on precursor emission and ozone air quality, 860

Urban Areas
Urban emissions measured with aircraft, 16
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763
Arizona hazardous air pollutants monitoring program, 1038

U.S. Environmental Protection Agency
Targeting lead in the multimedia environment in the continental United States, 3
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646
Evaluation of a test method for measuring indoor air emissions from dry-process photocopiers, 915
State-level air emissions trading: The Michigan and Illinois models, 1156

Utilities
Sulfur dioxide emissions and market effects under the Clean Air Act Acid Rain Program, 829

Vapors
Influence of water content on degradation rates for ethanol in biofiltration, 65
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721

Vapor Recovery
VOC recovery through microwave regeneration of adsorbents: Process design studies, 1135
VOC recovery through microwave regeneration of adsorbents: Comparative economic feasibility studies, 1146

Vehicle Emission Models
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291

Ventilation
Strategies for limiting engineers' potential liability for indoor air quality problems, 995

Vertical Concentration Profiles
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757

Visual Clarity
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763

Visible Days
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763

Volatile Organic Compounds (VOCs)
Influence of water content on degradation rates for ethanol in biofiltration, 65
An exploratory look at hydrocarbon data from the photochemical assessment monitoring stations network, 71
Effect of media nitrogen concentration on biofilter performance, 216
Evaluation of an automatic composite sampler for volatile organic compounds in raw wastewater, 271
Studies of environmental tobacco smoke generated by different cigarettes, 336
Feasibility testing of biofiltration technology for remediating air contaminated by a boat manufacturing facility, 527
Synthesis of hybrid gas permeation membrane/condensation systems for pollution prevention, 616
Development of instrumentation for continuous on-line monitoring of non-methane organic carbon in air emissions, 743
Volatilization of chemicals from drinking water to indoor air: The role of residential washing machines, 907
Evaluation of a test method for measuring indoor air emissions from dry-process photocopiers, 915
Evaluation of sink effects on VOCs from a latex paint, 953
Characterization of emissions of volatile organic compounds from interior alkyd paint, 931
Indoor air quality impacts of ventilation ducts: Ozone removal and emissions of volatile organic compounds, 941
Nicotine as a marker for environmental tobacco smoke: Implication of sorption on indoor surface materials, 959
Investigation of the photocatalytic oxidation of low-level carbonyl compounds, 979
Cost analysis of activated carbon versus photocatalytic oxidation for removing organic compounds from indoor air, 985
Strategies for limiting engineers' potential liability for indoor air quality problems, 995
Fine particulate organic material in the Los Angeles basin - I: Assessment of the high-volume Brigham Young University organic sampling system, BIG BOSS, 1024
Arizona hazardous air pollutants monitoring program, 1038
Evaluation of a portable fourier transform infrared gas analyzer for measurements of air toxics in pollution prevention research, 1077
VOC recovery through microwave regeneration of adsorbents: Process design studies, 1135

VOC recovery through microwave regeneration of adsorbents: Comparative economic feasibility studies, 1146
State-level air emissions trading: The Michigan and Illinois models, 1156

Volatile Organic Compound (VOC) Control
Treatment of 1, 3-butadiene in an air stream by a biotrickling filter and a biofilter, 711

Washing Machines
Volatilization of chemicals from drinking water to indoor air: The role of residential washing machines, 907

Waste Disposal
An analysis of household solid waste in Kuwait: Magnitude, type, and forecasting models, 256
Medical waste treatment and disposal methods used by hospitals in Oregon, Washington, and Idaho, 516
Managing the uncertainties of low-level radioactive waste disposal, 701
Evaluation of tire-derived fuel for use in NO reductions by reburning, 729

Waste Management
Targeting lead in the multimedia environment in the continental United States, 3
An analysis of household solid waste in Kuwait: Magnitude, type, and forecasting models, 256
Medical waste treatment and disposal methods used by hospitals in Oregon, Washington, and Idaho, 516
Managing the uncertainties of low-level radioactive waste disposal, 701

Waste Reduction
Evaluation of needle gun and abrasive blasting technologies in bridge paint removal practices, 264
Synthesis of hybrid gas permeation membrane/condensation systems for pollution prevention, 616
A method for the removal of chromium from tanned leather wastes, 846
Sewage sludge treatment by vitrification, 1112
VOC recovery through microwave regeneration of adsorbents: Process design studies, 1135
VOC recovery through microwave regeneration of adsorbents: Comparative economic feasibility studies, 1146

Waste Stream
Medical waste treatment and disposal methods used by hospitals in Oregon, Washington, and Idaho, 516

Waste Treatment
Kinetic study on methane fermentation of pre-hydrolyzed lignocellulosics, 366
Medical waste treatment and disposal methods used by hospitals in Oregon, Washington, and Idaho, 516
Stabilization of a chromium-containing solid waste: Immobilization of hexavalent chromium, 1093

Waste Water
Evaluation of an automatic composite sampler for volatile organic compounds in raw wastewater, 271

Waste, Cement-Based
Stabilization of a chromium-containing solid waste: Immobilization of hexavalent chromium, 1093

Wind Effects
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459

Wood Burning
A comparison of filter types in the collection and gravimetric determination of airborne particulate matter less than 2.5 microns ($PM_{2.5}$), 1199

XRF
Inter-laboratory comparison of air particulate monitoring data, 386

1,3 Butadiene
Treatment of 1, 3-butadiene in an air stream by a biotrickling filter and a biofilter, 711

Author Index

Adamski, W. J.
Eight-hour ozone trends at sites in Lake Michigan ozone non-attainment areas, 1204

Addink, R.
Metals as catalysts during the formation and decomposition of chlorinated dioxins and furans in incineration processes, 101

Akbari, H.
Impacts of lowered urban air temperatures on precursor emission and ozone air quality, 860

Alba, A.
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459

Al-Khaleefi, A.L.
An analysis of household solid waste in Kuwait: Magnitude, type, and forecasting models, 256

Anderson, J.A.
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786

Anderson, L.G.
Investigation of the photocatalytic oxidation of low-level carbonyl compounds, 979

Arriaga, J.L.
Ozone and its precursors in the atmosphere of Mexico City, 866
Determination of motor vehicle profiles for non-methane organic compounds in Mexico City metropolitan area, 1060

Au, L.
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]pyrene - A critical evaluation, 1085

Auria, R.
Influence of water content on degradation rates for ethanol in biofiltration, 65

Aycaguer, A.-C.
Influence of water content on degradation rates for ethanol in biofiltration, 65

Ayoub, H.C.
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59

Balogh, S.
Evaluation of an automatic composite sampler for volatile organic compounds in raw wastewater, 271

Baukal, C.E.
Quantifying NO_x for industrial combustion processes, 52

Baumgardner, R.E.
Rural ozone across the eastern United States: Analysis of CASTNet data, 1988-1995, 674

Behr-Andres, C.
Fluidized-bed-combustion ash for the solidification and stabilization of a metal-hydroxide sludge, 35

Belian, T.C.
Real-world vehicle emissions: A summary of the seventh coordinating research council on-road vehicle emissions workshop, 174

Biegalski, S.R.
Source-receptor modeling using trace metals in aerosols collected at three rural Canadian Great Lakes sampling stations, 227

Billick, I.H.
The Boston residential nitrogen dioxide characterization study: Classification and prediction of indoor NO_2 exposure, 736

Biswas, P.
Control of toxic metal emissions from combustors using sorbents: A review, 113
Evaluation of trickle bed air biofilter performance as a function of inlet VOC concentration and loading, and biomass control, 627

Black, F.
Alternative fuel motor vehicle tailpipe and evaporative emissions composition and ozone potential, 578

Blumenthal, D.L.
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786

Boggs, S.C.
Evaluation of geomembrane seaming methods using the comprehensive test system for geomembranes, 317

Borgoul, P.V.
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721

Branion, R.M.R.
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs, 1183

Brenner, R.C.
Evaluation of trickle bed air biofilter performance as a function of inlet VOC concentration and loading, and biomass control, 627

Brook, J.R.
Inter-laboratory comparison of air particulate monitoring data, 386
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689

Bullard, C.W.
Managing the uncertainties of low-level radioactive waste disposal, 701

Buonocore, N.
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]pyrene - A critical evaluation, 1085

Burnett, R.T.
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689

Butler, A.J.
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418

Cadle, S.H.
Real-world vehicle emissions: A summary of the seventh coordinating research council on-road vehicle emissions workshop, 174

Cakmak, S.
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689

Campbell, J.L.
Inter-laboratory comparison of air particulate monitoring data, 386

Cano-Ruiz, J.A.
Indoor air quality impacts of ventilation ducts: Ozone removal and emissions of volatile organic compounds, 941

Cardelino, C.
Daily variability of motor vehicle emissions derived from traffic counter data, 637

Carey, T.R
Factors affecting mercury control in utility flue gas using activated carbon, 1166

Castaldi, M.J.
Real-time, ultrasensitive monitoring of air toxics by laser photoionization time-of-flight mass spectrometry, 77

Chadha, A.
Targeting lead in the multimedia environment in the continental United States, 3

Chang, J.C.S.
Characterization of emissions of volatile organic compounds from interior alkyd paint, 931
Evaluation of sink effects on VOCs from a latex paint, 953

Chang, M.T.
Kinetics of vapor-phase mercury uptake by virgin and sulfur-impregnated activated carbons, 247

Chang, N.B.
Systematic evaluation and uncertainty analysis of the refuse-derived fuel process in Taiwan, 537

Chang, R.
Factors affecting mercury control in utility flue gas using activated carbon, 1166

Chang, Y.-H.
Systematic evaluation and uncertainty analysis of the refuse-derived fuel process in Taiwan, 537

Chao, C.-Y.
The relationship between the quantity of heavy metal and PAHs in fly ash, 750

Chartier, K.L.
A comparison of filter types in the collection and gravimetric determination of airborne particulate matter less than 2.5 microns ($PM_{2.5}$), 1199

Chen, J.-C.
The relationship between the quantity of heavy metal and PAHs in fly ash, 750

Chen, L.T.
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721

Chen, P.-S.
Self-scrubbing of waste gas containing dioctyl phthalate, 359

Chen, W.C.
Systematic evaluation and uncertainty analysis of the refuse-derived fuel process in Taiwan, 537

Chen, W.
Development of instrumentation for continuous on-line monitoring of non-methane organic carbon in air emissions, 743

Choi, S.
A computational fluid dynamics evaluation of good combustion performance in waste incinerators, 345

Chornet, N.
Investigation of the photocatalytic oxidation of low-level carbonyl compounds, 979

Chou, M.S.
Bioconversion of dimethylformamide in biofilters, 306
Treatment of 1,3-butadiene in an air stream by a biotrickling filter and a biofilter, 711

Chow, J.C.
Particulate emission rates for unpaved shoulders along a paved road, 398

Civerolo, K.L.
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786

Cohen, J.P.
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291

Colls, J.J.
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757

Colome, S.
Evaluation of indoor ozone concentration and predictors of indoor-outdoor ratio in Mexico City, 327

Cooper, C.D.
The economic feasibility of using hydrogen peroxide for the enhanced oxidation and removal of nitrogen oxides from coal-fired power plant flue gases, 238

Conrad, F.W.
Studies of environmental tobacco smoke generated by different cigarettes, 336

Converti, A.
Kinetic study on methane fermentation of pre-hydrolyzed lignocellulosics, 366

Corsi, R.L.
Volatilization of chemicals from drinking water to indoor air: The role of residential washing machines, 907

Cortez, M.
Evaluation of indoor ozone concentration and predictors of indoor-outdoor ratio in Mexico City, 327

Crabtree, E.W.
Synthesis of hybrid gas permeation membrane/condensation systems for pollution prevention, 616

Cudahy, J.J.
National annual dioxin emissions estimate for hazardous waste incinerators, 1107

Cui, W.
Fine particulate organic material in the Los Angeles basin - I: Assessment of the high-volume Brigham Young University organic sampling system, BIG BOSS, 1024

Daisey, J.M.
Nicotine as a marker for environmental tobacco smoke: Implication of sorption on indoor surface materials, 959

Dann, T.F.
Inter-laboratory comparison of air particulate monitoring data, 386

Davis, R.A.
Nitric oxide formation in an iron oxide pellet rotary kiln furnace, 44

de las Parras, J.
Sources of SO_2, SO_4^{2-}, No_x, and NO_3^-, in the air of four Spanish remote stations, 838

DeHollander, G.R.
Performance of a suspended-growth bioscrubber for the control of methanol, 872

Del Borghi, M.
Kinetic study on methane fermentation of pre-hydrolyzed lignocellulosics, 366

Deuchar, C.N.
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757

Devinny, J.S.
Influence of water content on degradation rates for ethanol in biofiltration, 65

Dickerson, R.R.
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786

Dippel, W.A.
Measurements of dioxin and furan emission factors from heavy-duty diesel vehicles, 276

Dlouhy, J.F.
Inter-laboratory comparison of air particulate monitoring data, 386

Dobbins, M.E.
In-Situ reduction of hexavalent chromium in alkaline soils enriched with chromite ore processing residue, 1100

Doddridge, B.G.
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786

Dreher, D.B.
A fuel based inventory for heavy-duty diesel truck emissions, 352

DuBois, D.W.
Particulate emission rates for unpaved shoulders along a paved road, 398

Dunker, A.M.
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291

Dunn, R.F.
Synthesis of hybrid gas permeation membrane/condensation systems for pollution prevention, 616

Eatough, D. J.
Fine particulate organic material in the Los Angeles basin - I: Assessment of the high-volume Brigham Young University organic sampling system, BIG BOSS, 1024

Eatough, N. L.
Fine particulate organic material in the Los Angeles basin - I: Assessment of the high-volume Brigham Young University organic sampling system, BIG BOSS, 1024

Edblad, D.
Evaluation of an automatic composite sampler for volatile organic compounds in raw wastewater, 271

Edgerton, E.S.
Rural ozone across the eastern United States: Analysis of CASTNet data, 1988-1995

Eleazer, P.B.
Quantifying NO_x for industrial combustion processes, 52

El-Halwagi, M.M.
Synthesis of hybrid gas permeation membrane/condensation systems for pollution prevention, 616

Farina, R.J.
Measurements of dioxin and furan emission factors from heavy-duty diesel vehicles, 276

Feldman, E.E.
Identification and control of NO_x emissions using neural networks, 408

Fieber, J.K.
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291

Fischbeck, P.S.
The relationship between historic industrial site use and environmental contamination, 809

Fischer, D.
Review of separation technologies for treating pesticide-contaminated soil, 434

Flora, J. R. V
Modeling powdered activated carbon injection for the uptake of elemental mercury vapors, 1051

Fortmann, R.
Indoor emissions from conversion varnishes, 924
Characterization of emissions of volatile organic compounds from interior alkyd paint, 931
Evaluation of sink effects on VOCs from a latex paint, 953

Francoy, C.
Stabilization of a chromium-containing solid waste: Immobilization of hexavalent chromium, 1093

Friedrich, R.
CAREAIR: A computer aided modeling toolbox to generate and analyze emission data in high temporal and spatial resolution, 1175

Freeze, M.E
Strategies for limiting engineers' potential liability for indoor air quality problems, 995

Fujita, E.
Arizona hazardous air pollutants monitoring program, 1038

Gamble, J.R.
Feasibility testing of biofiltration technology for remediating air contaminated by a boat manufacturing facility, 527

Gertler, A.W.
Measurements of dioxin and furan emission factors from heavy-duty diesel vehicles, 276

Geyh, A.
Evaluation of indoor ozone concentration and predictors of indoor-outdoor ratio in Mexico City, 327

Ghorishi, S.B.
Low concentration mercury sorption mechanisms and control by calcium-based sorbents: Application in coal-fired processes, 1191

Gillies, J.A.
Particulate emission rates for unpaved shoulders along a paved road, 398

Gilroy, L.
Sulfur dioxide emissions and market effects under the Clean Air Act Acid Rain Program, 829

Gimeno, L.
Sources of SO_2, SO_4^{2-}, Nox, and NO3, in the air of four Spanish remote stations, 838

Goodwin, R.
Real-world emissions from conventional passenger cars, 502

Gorman, H.S.
State-level air emissions trading: The Michigan and Illinois models, 1156

Gorse, R.A. Jr.,
Real-world vehicle emissions: A summary of the seventh coordinating research council on-road vehicle emissions workshop, 174

Grady, C.P.L.
Performance of a suspended-growth bioscrubber for the control of methanol, 872

Graham, KA.
Inorganic aerosols and their role in catalyzing sulfuric acid production in furnaces, 106

Green, S.I.
Use of tracer gas for direct calibration of emission-factor measurements in a traffic tunnel, 545

Gribbins, M.J.
Effect of media nitrogen concentration on biofilter performance, 216

Guo, Z.
Indoor emissions from conversion varnishes, 924
Characterization of emissions of volatile organic compounds from interior alkyd paint, 931
Evaluation of sink effects on VOCs from a latex paint, 953

Gurevich, M.
Alternative fuel motor vehicle tailpipe and evaporative emissions composition and ozone potential, 578

Hallock, K.A.
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786

Halloran, A.R.
In-situ reduction of hexavalent chromium in alkaline soils enriched with chromite ore processing residue, 1100

Harding, A.K.
Medical waste treatment and disposal methods used by hospitals in Oregon, Washington, and Idaho, 516

Hargrove, O.W. Jr.
Factors affecting mercury control in utility flue gas using activated carbon, 1166

Harley, R.A.
A fuel based inventory for heavy-duty diesel truck emissions, 352
Reducing the risk of accidental death due to vehicle- related carbon monoxide poisoning, 899

Harshfield, G.
Arizona hazardous air pollutants monitoring program, 1038

Hayes, T.
Arizona hazardous air pollutants monitoring program, 1038

Haywood, J.M.
The economic feasibility of using hydrogen peroxide for the enhanced oxidation and removal of nitrogen oxides from coal-fired power plant flue gases, 238

Henry, R.C.
An exploratory look at hydrocarbon data from the photochemical assessment monitoring stations network, 71

Heiken, J.G.
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291

Henschel, D.B.
Cost analysis of activated carbon versus photocatalytic oxidation for removing organic compounds from indoor air, 985

Hernandez, E.
Sources of SO_2, SO_4^{2-}, No_3, and NO_3^-, in the air of four Spanish remote stations, 838

Hernandez, M.
Evaluation of indoor ozone concentration and predictors of indoor-outdoor ratio in Mexico City, 327

Higgins, B.W.
A discussion of regulatory requirements and air dispersion modeling approaches applicable to U.S. chemical demilitarization facilities, 798

Higgins, T.E.
In-situ reduction of hexavalent chromium in alkaline soils enriched with chromite ore processing residue, 1100

Ho, J.
Effects of fuel type, driving cycle, and emission status on in-use vehicle exhaust reactivity, 592

Hodgson, A.T.
Indoor air quality impacts of ventilation ducts: Ozone removal and emissions of volatile organic compounds, 941

Hoff, J.M.
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721

Hoff, R.M.
Source-receptor modeling using trace metals in aerosols collected at three rural
Canadian Great Lakes sampling stations, 227
Inter-laboratory comparison of air particulate monitoring data, 386

Hoffmann, M.R.
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128

Holt, M.T.
Feasibility testing of biofiltration technology for remediating air contaminated by a boat manufacturing facility, 527

Howard, C.
Volatilization of chemicals from drinking water to indoor air: The role of residential washing machines, 907

Howard, E. M.
Indoor emissions from conversion varnishes, 924

Howe, G.B
Evaluation of a portable fourier transform infrared gas analyzer for measurements of air toxics in pollution prevention research, 1077

Hsu, Y.-C.
Self-scrubbing of waste gas containing dioctyl phthalate, 359

Huang, S.C.
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59

Hubber, P.
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]pyrene - A critical evaluation, 1085

Jacoby, W.A.
Investigation of the photocatalytic oxidation of low-level carbonyl compounds, 979

Jayanty, R.K.M.
Evaluation of a portable fourier transform infrared gas analyzer for measurements of air toxics in pollution prevention research, 1077

Johansen, A.M.
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128

Johnson, B.J.
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59

Julian, Sánchez, A.
Ozone and its precursors in the atmosphere of Mexico City, 866

Kanabe, B.
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]pyrene - A critical evaluation, 1085

Kartal, S.
Determination and parameterization of some air pollutants as a function of meteorological parameters in Kayseri, Turkey, 853

Katakis, D.
A method for the removal of chromium from tanned leather wastes, 846

Kelly, S.P.
Studies of environmental tobacco smoke generated by different cigarettes, 336

Kelly, W.R.
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721

Kikuchi, R.
Sewage sludge treatment by vitrification, 1112

Klangsin, P.
Medical waste treatment and disposal methods used by hospitals in Oregon, Washington, and Idaho, 516

Klemm, O.
Urban emissions measured with aircraft, 16

Knapp, K.T.
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646

Knoll, J.E.
Evaluation of a portable fourier transform infrared gas analyzer for measurements of air toxics in pollution prevention research, 1077

Knoll, K.L.
Fluidized-bed-combustion ash for the solidification and stabilization of a metal-hydroxide sludge, 35

Konopacki, S.
Impacts of lowered urban air temperatures on precursor emission and ozone air quality, 860

Koushki, PA.
An analysis of household solid waste in Kuwait: Magnitude, type, and forecasting models, 256

Koustas, R.N.
Review of separation technologies for treating pesticide-contaminated soil, 434

Kranz, P.B.
Evaluation of needle gun and abrasive blasting technologies in bridge paint removal practices, 264

Krebs, K.A.
Indoor emissions from conversion varnishes, 924

Krewski, D.
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689

Kunz, R.G.
SCR performance on a hydrogen reformer furnace, 26

Kurashige, Y.
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763

Lackey, L.W.
Feasibility testing of biofiltration technology for remediating air contaminated by a boat manufacturing facility, 527

Laing, R.K.
CAREAIR: A computer aided modeling toolbox to generate and analyze emission data in high temporal and spatial resolution, 1175

Langston, R.
Particulate emission rates for unpaved shoulders along a paved road, 398

Landsberger, S.
Source-receptor modeling using trace metals in aerosols collected at three rural Canadian Great Lakes sampling stations, 227

Lanning, J.A.
Investigation of the photocatalytic oxidation of low-level carbonyl compounds, 979

Lao, H.C.
Indoor emissions from conversion varnishes, 924

Lau, A.K.
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs, 1183

Lawson, D.R.
Real-world vehicle emissions: A summary of the seventh coordinating research council on-road vehicle emissions workshop, 174

Lee, K.
The Boston residential nitrogen dioxide characterization study: Classification and prediction of indoor NO_2 exposure, 736

Lemieux, P.M.
Evaluation of tire-derived fuel for use in NO reductions by reburning, 729

Leovic, K.
Evaluation of a test method for measuring indoor air emissions from dry-process photocopiers, 915

Levy, J.I.
Impact of residential nitrogen dioxide exposure on personal exposure: An international study, 553
The Boston residential nitrogen dioxide characterization study: Classification and prediction of indoor NO_2 exposure, 736

Lewis, C.W.
An exploratory look at hydrocarbon data from the photochemical assessment monitoring stations network, 71

Liaw, D.-J.
Self-scrubbing of waste gas containing dioctyl phthalate, 359

Lin, C.J.
Aqueous photochemistry of mercury with organic acids, 144

Lin, T.S.
Revised hydrolysis constants for thallium (I) and thallium (III) and the environmental implications, 151

Litynski, J.
A discussion of regulatory requirements and air dispersion modeling approaches applicable to U.S. chemical demilitarization facilities, 798

Liu, W.
Modeling powdered activated carbon injection for the uptake of elemental mercury vapors, 1051

Loehr, R.C.
Effect of media nitrogen concentration on biofilter performance, 216

Lu, S-L.
Treatment of 1,3-butadiene in an air stream by a biotrickling filter and a biofilter, 711

Luniewski, R.
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]pyrene - A critical evaluation, 1085

Mangis, J.K.
Targeting lead in the multimedia environment in the continental United States, 3

Marr, L.C.
Reducing the risk of accidental death due to vehicle- related carbon monoxide poisoning, 899

Martín, I.
Sources of SO_2, SO_4^{2-}, No_x, and NO_3^-, in the air of four Spanish remote stations, 838

Matoba, Y.
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969

Matsuo, M.
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969

McAllister, G.
Development of instrumentation for continuous on-line monitoring of non-methane organic carbon in air emissions, 743

McCrillis, R.C.
Indoor emissions from conversion varnishes, 924

McKelvey, L.D.
Targeting lead in the multimedia environment in the continental United States, 3

Mercado, A.
Evaluation of indoor ozone concentration and predictors of indoor-outdoor ratio in Mexico City, 327

Meserole, F.B.
Factors affecting mercury control in utility flue gas using activated carbon, 1166

Micallef, A.
Kinetic sequential sampling (KSS) system: An automated sampling system for measuring vertical concentration profiles of airborne particles, 757

Mikami, N.
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969

Milanchus, M.L.
Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability, 201

Miller, C.A.
Evaluation of tire-derived fuel for use in NO reductions by reburning, 729

Mitra, S.
Development of instrumentation for continuous on-line monitoring of non-methane organic carbon in air emissions, 743

Miyashita, A.
How many days in a year can Mt. Fuji and the Tokyo Tower be seen from the Tokyo suburban area?, 763

Modera, M.P.
Indoor air quality impacts of ventilation ducts: Ozone removal and emissions of volatile organic compounds, 941

Morales, R.M.
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786

Morrison, G.C.
Reducing the risk of accidental death due to vehicle- related carbon monoxide poisoning, 899
Indoor air quality impacts of ventilation ducts: Ozone removal and emissions of volatile organic compounds, 941

Moosmüller, H.
Particulate emission rates for unpaved shoulders along a paved road, 398

Mugica-Alvarez, V.
Determination of motor vehicle profiles for non-methane organic compounds in Mexico City metropolitan area, 1060

Mukerjee, D.
Health impact of polychlorinated dibenzo-p-dioxins: A critical review, 157
1998 Critical Review: Assessment of risk from multimedia exposure of children to environmental chemicals, 483

Mulholland, J.A.
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418

Nasri, L.
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]-pyrene using deuterium and ^{13}c-labeled benzo[a]pyrene - A critical evaluation, 1085

Naylor, M.H.
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59

Nazaroff, W.W.
Reducing the risk of accidental death due to vehicle- related carbon monoxide poisoning, 899
Indoor air quality impacts of ventilation ducts: Ozone removal and emissions of volatile organic compounds, 941
Nicotine as a marker for environmental tobacco smoke: Implication of sorption on indoor surface materials, 959

Nejedly, Z.
Inter-laboratory comparison of air particulate monitoring data, 386

Nelli, C.H.
Simultaneous sulfur dioxide and nitrogen dioxide removal by calcium hydroxide and calcium silicate solids, 819

Nelson, P.R.
Studies of environmental tobacco smoke generated by different cigarettes, 336

Northeim, C.
Evaluation of a test method for measuring indoor air emissions from dry-process photocopiers, 915

Nriagu, J.
Revised hydrolysis constants for thallium (I) and thallium (III) and the environmental implications, 151

Ohnishi, J.
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969

Olie, K.
Metals as catalysts during the formation and decomposition of chlorinated dioxins and furans in incineration processes, 101

Onayiga, R.
Evaluation of an automatic composite sampler for volatile organic compounds in raw wastewater, 271

Ondov, J.M.
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721

Ovalle, P.
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459

Overcamp, T.J.
Performance of a suspended-growth bioscrubber for the control of methanol, 872

Özer, U.
Determination and parameterization of some air pollutants as a function of meteorological parameters in Kayseri, Turkey, 853

Ozkaynak, H.
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689

Padhy, P.K.
Total volatile organic compounds in the urban environment of Delhi, 448

Palazuelos, E.
Evaluation of indoor ozone concentration and predictors of indoor-outdoor ratio in Mexico City, 327

Pandit, A.
Evaluation of trickle bed air biofilter performance as a function of inlet VOC concentration and loading, and biomass control, 627

Parapar, V.
Stabilization of a chromium-containing solid waste: Immobilization of hexavalent chromium, 1093

Pehkonen, S.O.
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128
Aqueous photochemistry of mercury with organic acids, 144

Pereira, C.F.
Stabilization of a chromium-containing solid waste: Immobilization of hexavalent chromium, 1093

Philips, O.
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689

Pitchford, M.L.
Preliminary on-road measurement of the effect of oxygenated fuel on CO emissions near Las Vegas, Nevada, 59

Pittignano, A. J.
In-Situ Reduction of Hexavalent Chromium in Alkaline Soils Enriched with Chromite Ore Processing Residue, 1100

Pollack, A.K.
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291

Pott, U.
Use of tracer gas for direct calibration of emission-factor measurements in a traffic tunnel, 545

Poulopoulou, V.G.
A method for the removal of chromium from tanned leather wastes, 846

Price, D.W.
VOC recovery through microwave regeneration of adsorbents: Process design studies, 1135
VOC recovery through microwave regeneration of adsorbents: Comparative economic feasibility studies, 1146

Proyou, A.G.
Application of a three-layer photochemical box model in an Athens street canyon, 427

Raizenne, M.E.
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689

Randall, P.M.
Evaluation of needle gun and abrasive blasting technologies in bridge paint removal practices, 264

Rao, S.T.
Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability, 201

Reifman, J.
Identification and control of NO_x emissions using neural networks, 408

Rezzani, L.G.
Kinetic study on methane fermentation of pre-hydrolyzed lignocellulosics, 366

Richardson, C.F.
Factors affecting mercury control in utility flue gas using activated carbon, 1166

Rigo, H.G.
National annual dioxin emissions estimate for hazardous waste incinerators, 1107

Riveros, H.G.
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459
Ozone and its precursors in the atmosphere of Mexico City, 866

Riveros-Rosas, H.
Ozone and its precursors in the atmosphere of Mexico City, 866

Roache, N.
Characterization of emissions of volatile organic compounds from interior alkyd paint, 931

Roberts, P.T.
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786

Robbins, L.B.
A discussion of regulatory requirements and air dispersion modeling approaches applicable to U.S. chemical demilitarization facilities, 798

Rochelle, G.T.
Simultaneous sulfur dioxide and nitrogen dioxide removal by calcium hydroxide and calcium silicate solids, 819

Rodriguez-Piñero
Stabilization of a chromium-containing solid waste: immobilization of hexavalent chromium, 1093

Rogak, S.N.
Use of tracer gas for direct calibration of emission-factor measurements in a traffic tunnel, 545
Gaseous emissions from vehicles in a traffic tunnel in Vancouver, BC, 604

Rogers, C.F.
Particulate emission rates for unpaved shoulders along a paved road, 398

Romieu, I.
Evaluation of indoor ozone concentration and predictors of indoor-outdoor ratio in Mexico City, 327

Ross, M.
Real-world emissions from conventional passenger cars, 502

Rua, A.
Sources of SO_2, SO_4^{2-}, No_x, and NO_3^-, in the air of four Spanish remote stations, 838

Ruiz, M.E
Determination of motor vehicle profiles for non-methane organic compounds in Mexico City metropolitan area, 1060

Ruiz, S.
Evaluation of indoor ozone concentration and predictors of indoor-outdoor ratio in Mexico City, 327

Russell, A.G.
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418

Ryan, W.F.
Pollutant transport during a regional O_3 episode in the mid-Atlantic states, 786

Ryu, C.K.
A computational fluid dynamics evaluation of good combustion performance in waste incinerators, 345

Sabo, S.M.
Strategies for limiting engineers' potential liability for indoor air quality problems, 995

Sagebiel, J.D.
Measurements of dioxin and furan emission factors from heavy-duty diesel vehicles, 276
Arizona hazardous air pollutants monitoring program, 1038

Sandoval, E.
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459

Sarofim, A.F.
Inorganic aerosols and their role in catalyzing sulfuric acid production in furnaces, 106

Schleyer, C.H.
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291

Schmidt, P.S.
VOC recovery through microwave regeneration of adsorbents: Process design studies, 1135
VOC recovery through microwave regeneration of adsorbents: Comparative economic feasibility studies, 1146

Schoonenboom, M.
Metals as catalysts during the formation and decomposition of chlorinated dioxins and furans in incineration processes, 101

Sedman, C.B.
Low concentration mercury sorption mechanisms and control by calcium-based sorbents: Application in coal-fired processes, 1191

Senkan, S.M.
Real-time, ultrasensitive monitoring of air toxics by laser photoionization time-of-flight mass spectrometry, 77

Sheldon, L.
Evaluation of a test method for measuring indoor air emissions from dry-process photocopiers, 915

Shepard, S.B.
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291

Shin, D.
A computational fluid dynamics evaluation of good combustion performance in waste incinerators, 345

Shreffler, J.H.
An exploratory look at hydrocarbon data from the photochemical assessment monitoring stations network, 71

Siefert, R.L.
Measurements of trace metal (Fe, Cu, Mn, Cr) oxidation states in fog and stratus clouds, 128

Silva, B.
Carbon monoxide trend, meteorology, and three-way catalysts in Mexico City, 459

Small, M.J.
The relationship between historic industrial site use and environmental contamination, 809

Smith, B.
Eight-hour ozone trends at sites in Lake Michigan ozone non-attainment areas, 1204

Smith, F.L.
Evaluation of trickle bed air biofilter performance as a function of inlet VOC concentration and loading, and biomass control, 627

Solomon, B.D.
State-level air emissions trading: The Michigan and Illinois models, 1156

Sonntag, M.L.
Evaluation of needle gun and abrasive blasting technologies in bridge paint removal practices, 264

Sorial, G.A.
Evaluation of trickle bed air biofilter performance as a function of inlet VOC concentration and loading, and biomass control, 627

Sparks, L.E.
Evaluation of sink effects on VOCs from a latex paint, 953

Spengler, J.D.
The Boston residential nitrogen dioxide characterization study: Classification and prediction of indoor NO_2 exposure, 736

Stadelmaier, J.E.
Evaluation of needle gun and abrasive blasting technologies in bridge paint removal practices, 264

Stathopoulos, A.
Application of a three-layer photochemical box model in an Athens street canyon, 427

Stessel, R.I.
Evaluation of geomembrane seaming methods using the comprehensive test system for geomembranes, 317

Stevens, L.
Investigation of the photocatalytic oxidation of low-level carbonyl compounds, 979

Stiber, N.A.
The relationship between historic industrial site use and environmental contamination, 809

Stieb, D.
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689

Stump, F.D.
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646

Suidan, M.T.
Evaluation of trickle bed air biofilter performance as a function of inlet VOC concentration and loading, and biomass control, 627

Taha, H.
Impacts of lowered urban air temperatures on precursor emission and ozone air quality, 860

Takahashi, M.
The emission of polycyclic aromatic hydrocarbons from municipal solid waste incinerators during the combustion cycle, 441

Teesdale, W.J.
Inter-laboratory comparison of air particulate monitoring data, 386

Tejeda, J.
Ozone and its precursors in the atmosphere of Mexico City, 866

Tejada, S.
Alternative fuel motor vehicle tailpipe and evaporative emissions composition and ozone potential, 578
The effect of ethanol fuel on the emissions of vehicles over a wide range of temperatures, 646

Tolbert, P.E.
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418

Thurnau, R.C.
Kinetics of vapor-phase mercury uptake by virgin and sulfur-impregnated activated carbons, 247
Modeling powdered activated carbon injection for the uptake of elemental mercury vapors, 1051

Touati, A.
Evaluation of tire-derived fuel for use in NO reductions by reburning, 729

Tuncel, G.
Feasibility of applying a stable isotopic tracer for direct determination of dry particulate deposition to soybean plants, 721

Uberna, E.
Arizona hazardous air pollutants monitoring program, 1038

Van Loy, M.D.
Nicotine as a marker for environmental tobacco smoke: Implication of sorption on indoor surface materials, 959

Varshney, C.K.
Total volatile organic compounds in the urban environment of Delhi, 448

Vega, E.
Determination of motor vehicle profiles for non-methane organic compounds in Mexico City metropolitan area, 1060

Vidic, R.D.
Kinetics of vapor-phase mercury uptake by virgin and sulfur-impregnated activated carbons, 247
Modeling powdered activated carbon injection for the uptake of elemental mercury vapors, 1051

Vincent, R.
The association between ambient carbon monoxide levels and daily mortality in Toronto, Canada, 689

von Oppenfeld
Strategies for limiting engineers' potential liability for indoor air quality problems, 995

Vrachnou, E.
A method for the removal of chromium from tanned leather wastes, 846

Wagner, J.
Managing the uncertainties of low-level radioactive waste disposal, 701

Wang, M.Q.
Real-world emissions from conventional passenger cars, 502

Wani, A.H.
Degradation kinetics of biofilter media treating reduced sulfur odors and VOCs, 1183

Watkins, R.
Real-world emissions from conventional passenger cars, 502

Watson, J.G.
Particulate emission rates for unpaved shoulders along a paved road, 398

Weger, H.T.
Managing the uncertainties of low-level radioactive waste disposal, 701

Wei, M-C.
The major species of heavy metal aerosol resulted from water cooling system and spray dryer system during incineration process, 1069

Weitz, Mark A.
A comparison of filter types in the collection and gravimetric determination of airborne particulate matter less than 2.5 microns ($PM_{2.5}$), 1199

Wenzel, T.
Real-world emissions from conventional passenger cars, 502

Wey, M-Y
The relationship between the quantity of heavy metal and PAHs in fly ash, 750
The major species of heavy metal aerosol resulted from water cooling system and spray dryer system during incineration process, 1069

Whitaker, D.
Evaluation of a test method for measuring indoor air emissions from dry-process photocopiers, 915

White, W.H.
Statistical considerations in the interpretation of a size-resolved particulate mass data, 454

Wickert, B.
CAREAIR: A computer aided modeling toolbox to generate and analyze emission data in high temporal and spatial resolution, 1175

Wiebe, H.A.
Inter-laboratory comparison of air particulate monitoring data, 386

Wilkinson, J.G.
Temporal and spatial distributions of ozone in Atlanta: Regulatory and epidemiologic implications, 418

Winer, A.M.
Effects of fuel type, driving cycle, and emission status on in-use vehicle exhaust reactivity, 592

Wright, R.S.
Evaluation of a portable fourier transform infrared gas analyzer for measurements of air toxics in pollution prevention research, 1077

Wu, C.Y.
Control of toxic metal emissions from combustors using sorbents: A review, 113

Wu, F.-C.
Self-scrubbing of waste gas containing dioctyl phthalate, 359

Wu, S.L.
Bioconversion of dimethylformamide in biofilters, 306

Xu, Y.H.
Development of instrumentation for continuous on-line monitoring of non-methane organic carbon in air emissions, 743

Yanagisawa, Y.
The Boston residential nitrogen dioxide characterization study: Classification and prediction of indoor NO_2 exposure, 736

Yang, J-T.
The major species of heavy metal aerosol resulted from water cooling system and spray dryer system during incineration process, 1069

Yang, P.
Gas chromatograph/isotope dilution mass spectrometric analysis of airborne benzo[a]pyrene using deuterium and ^{13}c-labeled benzo[a]-pyrene - A critical evaluation, 1085

Yarwood, G.
Revision of light-duty vehicle emission inventories using real-world measurements-auto/oil program, phase II, 291

Yasuda, K.
The emission of polycyclic aromatic hydrocarbons from municipal soilid waste incinerators during the combustion cycle, 441

Yoshimura, J.
Development of the simulation model InPest for prediction of the indoor behavior of pesticides, 969

Yu, L.-J.
The relationship between the quantity of heavy metal and PAHs in fly ash, 750

Zielinska, B.
Arizona hazardous air pollutants monitoring program, 1038

Ziomas, I.C.
Urban emissions measured with aircraft, 16
Application of a three-layer photochemical box model in an Athens street canyon, 427

Zipper, C.E.
Sulfur dioxide emissions and markets effects under the Clean Air Act Acid Rain Program, 829

Zurbenko, I.G.
Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability, 201